

Safety Data Sheet

Copyright, 2015, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| Document group: | 27-5146-9 | Version number: | 6.00 |
|------------------------|---------------------------|------------------|------------|
| Revision date: | 10/05/2015 | Supersedes date: | 14/10/2014 |
| Transportation version | number: 1.00 (29/09/2010) | - | |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

G70, Gold Class Paste Car Wax (21-123A): G7014

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address:Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UFTelephone:+44 (0)870 241 6696E Mail:info@meguiars.co.ukWebsite:www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Flammable Solid, Category 1 - Flam. Sol. 1; H228 Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315 Specific Target Organ Toxicity-Single Exposure, Category 3 - STOT SE 3; H336

For full text of H phrases, see Section 16.

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive Indication of danger Highly flammable; F; R11 Irritant; Xi; R38 R67

For full text of R phrases, see Section 16.

2.2. Label elements CLP REGULATION (EC) No 1272/2008

SIGNAL WORD DANGER.

Symbols: GHS02 (Flame) |GHS07 (Exclamation mark) |

Pictograms

H228 H315 H336



| Ingredient |
|---|
| Naphtha (petroleum), hydrotreated heavy |

| Flammable solid. |
|------------------------------------|
| Causes skin irritation. |
| May cause drowsiness or dizziness. |

PRECAUTIONARY STATEMENTS

| PRECAUTIONARY STATEME | NTS |
|-----------------------|---|
| General: | |
| P102 | Keep out of reach of children. |
| P101 | If medical advice is needed, have product container or label at hand. |
| Prevention: | |
| P210A | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P260A | Do not breathe vapours. |
| P262 | Do not get in eyes, on skin, or on clothing. |
| P271 | Use only outdoors or in a well-ventilated area. |
| Response: | |
| P332 + P313 | If skin irritation occurs: Get medical advice/attention. |
| P331 | Do NOT induce vomiting. |
| P301 + P310 | IF SWALLOWED: Immediately call a POISON CENTRE or doctor/physician. |
| P370 + P378G | In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish. |
| Disposal: | |
| P501 | Dispose of contents/container in accordance with applicable local/regional/national/international regulations. |

CAS Nbr

64742-48-9

% by Wt 30 - 60

13% of the mixture consists of components of unknown acute oral toxicity.

Contains 92% of components with unknown hazards to the aquatic environment.

Notes on labelling

H304 is not required on the label due to the product's viscosity Nota P applied to CASR 64742-48-9. H228 assigned based on test data indicating that this product is a flammable solid.

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

Symbol(s)





Highly Flammable

Contains:

No ingredients are assigned to the label.

Risk phrases

| R11 | Highly flammable. |
|-----|---|
| R38 | Irritating to skin. |
| R67 | Vapours may cause drowsiness and dizziness. |

Safety phrases

| Survey primeses | |
|-----------------|---|
| S16 | Keep away from sources of ignition - No Smoking. |
| S23A | Do not breathe vapour. |
| S24 | Avoid contact with skin. |
| S62 | If swallowed, do not induce vomiting: Seek medical advice immediately and show this container or label. |
| S2 | Keep out of the reach of children. |

Notes on labelling

R65 is not required on the label due to the product's viscosity.

Nota P applied to CASR 64742-48-9 and CAS 8052-41-3. Nota N applied to CASR 64742-46-7. R11 assigned based on test data indicating that this product is a flammable solid.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

| Ingredient | CAS Nbr | EU Inventory | % by Wt | Classification |
|--|--------------|---------------------|---------|--|
| Naphtha (petroleum), hydrotreated heavy | 64742-48-9 | EINECS 265- | 30 - 60 | Xn:R65 - Nota 4,P (EU) |
| | | 150-3 | | Xi:R38; R67 (Self Classified) |
| | | | | Asp. Tox. 1, H304 - Nota P (CLP) Skin Irrit. 2, H315; STOT SE 3, H336 (Self Classified) |
| Organic salt | Trade Secret | | 10 - 30 | |
| Siloxanes and silicones, di-Me | 63148-62-9 | | 7 - 13 | |
| Ceramic materials and wares, chemicals | 66402-68-4 | EINECS 266- | 7 - 13 | |
| | | 340-9 | | |
| Fatty acids, Montan-wax, Ethylene Esters | 73138-45-1 | EINECS 277- | 1 - 10 | |

| | | 291-8 | | |
|---|------------|----------------------|-----------|--|
| Distillates (petroleum), hydrotreated light | 64742-47-8 | EINECS 265- 149-8 | 3 - 7 | Xn:R65 - Nota 4 (EU) R10; R66; R67 (Self Classified) |
| | | | | Asp. Tox. 1, H304 (CLP) Flam. Liq. 3, H226; STOT SE 3, H336; EUH066 (Self Classified) |
| Fatty acids, montan-wax | 68476-03-9 | EINECS 270- 664-6 | 1 - 5 | |
| Glycerol poly(oxyethylene, oxypropylene) ether | 9082-00-2 | | 0.5 - 1.5 | |
| Distillates (petroleum), hydrotreated middle | 64742-46-7 | EINECS 265- 148-2 | 0.1 - 1.0 | Nota N (EU) Xn:R20-65; R66 (Self Classified) Nota N (CLP) |
| | | | | Acute Tox. 4, H332; Asp. Tox. 1, H304; STOT SE 3, H336; EUH066 (Self Classified) |
| Stoddard solvent | 8052-41-3 | EINECS 232- 489-3 | <= 0.5 | Xn:R48/20; Xn:R65 - Nota P (EU) Xi:R38 (Self Classified) |
| | | | | Asp. Tox. 1, H304; STOT RE 1, H372 - Nota P (CLP) Skin Irrit. 2, H315 (Self Classified) |

Please see section 16 for the full text of any R phrases and H statements referred to in this section Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

| Substance | Condition |
|----------------------------|--------------------|
| Aldehydes. | During combustion. |
| Formaldehyde | During combustion. |
| Carbon monoxide. | During combustion. |
| Carbon dioxide. | During combustion. |
| Irritant vapours or gases. | During combustion. |
| Oxides of nitrogen. | During combustion. |
| Oxides of nitrogen. | During combustion. |

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible using non-sparking tools. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not use in a confined area with minimal air exchange. Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Wear low static or properly grounded shoes. To minimize the risk of ignition, determine applicable electrical classifications for the process using this product and select specific local exhaust ventilation equipment to avoid flammable vapor accumulation. Ground/bond container and receiving equipment if there is potential for static electricity accumulation during transfer.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store away from heat. Store away from acids. Store away

from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | CAS Nbr | Agency | Limit type | Additional comments |
|--|--------------|--------------|-------------|---------------------|
| Naphtha (petroleum), | 64742-48-9 | Manufacturer | TWA:100 ppm | |
| hydrotreated heavy | | determined | | |
| Organic salt | Trade Secret | UK HSC | TWA:2 mg/m3 | |
| UK HSC : UK Health and Safety Commission | on | | | |
| TWA: Time-Weighted-Average | | | | |
| STEL: Short Term Exposure Limit | | | | |
| CEIL: Ceiling | | | | |

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Use explosion-proof ventilation equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended:

| Material | Thickness (mm) | Breakthrough Time |
|-----------|-------------------|-------------------|
| Neoprene. | No data available | No data available |

Respiratory protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection. An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | Solid. |
|---|--------------------------------------|
| Specific Physical Form: | Paste |
| Appearance/Odour | Pleasant odour; Cream-coloured paste |
| Odour threshold | No data available. |
| рН | Not applicable. |
| Boiling point/boiling range | 185 °C |
| Melting point | Not applicable. |
| Flammability (solid, gas) | Flammable Solid: Category 1. |
| Explosive properties | Not classified |
| Oxidising properties | Not classified |
| Flash point | 65.6 °C |
| Autoignition temperature | No data available. |
| Flammable Limits(LEL) | No data available. |
| Flammable Limits(UEL) | No data available. |
| Relative density | 0.85 [<i>Ref Std</i> :WATER=1] |
| Water solubility | Nil |
| Solubility- non-water | No data available. |
| Partition coefficient: n-octanol/water | No data available. |
| Evaporation rate | No data available. |
| Vapour density | No data available. |
| Decomposition temperature | No data available. |
| Viscosity | No data available. |
| Density | 0.85 g/cm3 |
| 9.2. Other information | |
| Volatile organic compounds (VOC) | 44.60 % weight |
| VOC less H2O & exempt solvents | 440.98 g/l |

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat. Sparks and/or flames.

10.5 Incompatible materials Strong acids.

Strong oxidising agents.

10.6 Hazardous decomposition products

<u>Substance</u>

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

May be harmful if inhaled. Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

Skin contact

May be harmful in contact with skin.

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Single exposure may cause target organ effects:

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---|-------------|---------|--|
| Overall product | Dermal | | No data available; calculated ATE2,000 - 5,000 |
| | | | mg/kg |
| Overall product | Inhalation- | | No data available; calculated ATE20 - 50 mg/l |
| | Vapor(4 hr) | | |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Naphtha (petroleum), hydrotreated heavy | Inhalation- | | LC50 estimated to be 20 - 50 mg/l |
| | Vapor | | |
| Naphtha (petroleum), hydrotreated heavy | Dermal | Rabbit | LD50 > 3,000 mg/kg |
| Naphtha (petroleum), hydrotreated heavy | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Siloxanes and silicones, di-Me | Dermal | Rabbit | LD50 > 19,400 mg/kg |
| Siloxanes and silicones, di-Me | Ingestion | Rat | LD50 > 17,000 mg/kg |
| Ceramic materials and wares, chemicals | Dermal | | LD50 estimated to be $> 5,000 \text{ mg/kg}$ |

| Ingestion Dermal Inhalation- Dust/Mist (4 hours) | Rat Rabbit Rat | LD50 > 2,000 mg/kg LD50 > 3,160 mg/kg LC50 > 3.0 mg/l |
|--|--|--|
| Inhalation- Dust/Mist | | , |
| Dust/Mist | Rat | LC50 > 3.0 mg/l |
| | | |
| (4 hours) | | |
| | | |
| Ingestion | Rat | LD50 > 5,000 mg/kg |
| Ingestion | Rat | LD50 > 15,000 mg/kg |
| Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Ingestion | Rat | LD50 > 10,000 mg/kg |
| Inhalation- | | LC50 estimated to be 20 - 50 mg/l |
| Vapor | | |
| Dermal | Rabbit | LD50 > 3,000 mg/kg |
| Ingestion | Rat | LD50 > 5,000 mg/kg |
| Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Inhalation- | Rat | LC50 4.6 mg/l |
| Dust/Mist | | - |
| (A hours) | | |
| (4 nours) | | |
| | Inhalation- Vapor Dermal Ingestion Dermal Inhalation- | Inhalation- Vapor Dermal Rabbit Ingestion Rat Dermal Rabbit Inhalation- Rat Dust/Mist |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--|---------|---------------------------|
| | | |
| Naphtha (petroleum), hydrotreated heavy | Rabbit | Irritant |
| Siloxanes and silicones, di-Me | Rabbit | No significant irritation |
| Ceramic materials and wares, chemicals | Rabbit | No significant irritation |
| Distillates (petroleum), hydrotreated light | Rabbit | Mild irritant |
| Stoddard solvent | Rabbit | Irritant |
| Distillates (petroleum), hydrotreated middle | Rabbit | Minimal irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|--|-----------|---------------------------|
| | | |
| Naphtha (petroleum), hydrotreated heavy | Rabbit | No significant irritation |
| Siloxanes and silicones, di-Me | Rabbit | No significant irritation |
| Ceramic materials and wares, chemicals | Rabbit | Mild irritant |
| Distillates (petroleum), hydrotreated light | Rabbit | Mild irritant |
| Stoddard solvent | Rabbit | No significant irritation |
| Distillates (petroleum), hydrotreated middle | Not | Mild irritant |
| | available | |

Skin Sensitisation

| Name | Species | Value |
|---|---------|-----------------|
| | | |
| Naphtha (petroleum), hydrotreated heavy | Guinea | Not sensitizing |
| | pig | |
| Distillates (petroleum), hydrotreated light | Guinea | Not sensitizing |
| | pig | - |
| Stoddard solvent | Guinea | Not sensitizing |
| | pig | |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|---|----------|--|
| | | |
| Naphtha (petroleum), hydrotreated heavy | In vivo | Not mutagenic |
| Naphtha (petroleum), hydrotreated heavy | In Vitro | Some positive data exist, but the data are not |
| | | sufficient for classification |
| Ceramic materials and wares, chemicals | In Vitro | Some positive data exist, but the data are not |
| | | sufficient for classification |
| Distillates (petroleum), hydrotreated light | In Vitro | Not mutagenic |
| Stoddard solvent | In vivo | Not mutagenic |

| Stoddard solvent | In Vitro | Some positive data exist, but the data are not sufficient for classification |
|--|----------|--|
| Distillates (petroleum), hydrotreated middle | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value | | | |
|--|------------|-------------------------------|--|--|--|--|
| Naphtha (petroleum), hydrotreated heavy | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification | | | |
| Naphtha (petroleum), hydrotreated heavy | Inhalation | Human and animal | Some positive data exist, but the data are not sufficient for classification | | | |
| Ceramic materials and wares, chemicals | Inhalation | Multiple animal species | Some positive data exist, but the data are not sufficient for classification | | | |
| Distillates (petroleum), hydrotreated light | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification | | | |
| Stoddard solvent | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification | | | |
| Stoddard solvent | Inhalation | Human and animal | Some positive data exist, but the data are not sufficient for classification | | | |
| Distillates (petroleum), hydrotreated middle | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification | | | |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| N | ame | Route | Value | Species | Test result | Exposure Duration |
|----|--|------------|--------------------------|---------|-------------------|-------------------------|
| N | aphtha (petroleum), hydrotreated heavy | Inhalation | Not toxic to development | Rat | NOAEL 2.4 mg/l | during organogenesis |
| St | toddard solvent | Inhalation | Not toxic to development | Rat | NOAEL 2.4 mg/l | during organogenesis |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---|------------|--------------------------------------|--|------------------------|------------------------|----------------------|
| Naphtha (petroleum), hydrotreated heavy | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Naphtha (petroleum), hydrotreated heavy | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| Naphtha (petroleum), hydrotreated heavy | Inhalation | nervous system | Some positive data exist, but the data are not sufficient for classification | Dog | NOAEL 6.5 mg/l | 4 hours |
| Distillates (petroleum), hydrotreated light | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Distillates (petroleum), hydrotreated light | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| Stoddard solvent | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Stoddard solvent | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| Stoddard solvent | Inhalation | nervous system | Some positive data exist, but the data are not sufficient for classification | Dog | NOAEL 6.5 mg/l | 4 hours |
| Distillates (petroleum), hydrotreated middle | Inhalation | central nervous system depression | Some positive data exist, but the data are not sufficient for | Not available | NOAEL NA | |

| | | respiratory irritation | classification | | | |
|--------------------------|-----------|------------------------|-------------------------|-----------|----------|--|
| Distillates (petroleum), | Ingestion | central nervous | May cause drowsiness or | Not | NOAEL NA | |
| hydrotreated middle | | system depression | dizziness | available | | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|--|------------|---|--|-------------------------------|------------------------|--------------------------|
| Naphtha (petroleum), hydrotreated heavy | Inhalation | nervous system | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 4.6 mg/l | 6 months |
| Naphtha (petroleum), hydrotreated heavy | Inhalation | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 1.9 mg/l | 13 weeks |
| Naphtha (petroleum), hydrotreated heavy | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL 0.6 mg/l | 90 days |
| Naphtha (petroleum), hydrotreated heavy | Inhalation | bone, teeth, nails, and/or hair blood liver muscles | All data are negative | Rat | NOAEL 5.6 mg/l | 12 weeks |
| Naphtha (petroleum), hydrotreated heavy | Inhalation | heart | All data are negative | Multiple animal species | NOAEL 1.3 mg/l | 90 days |
| Ceramic materials and wares, chemicals | Inhalation | pulmonary fibrosis | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL not available | |
| Ceramic materials and wares, chemicals | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL not available | occupational exposure |
| Stoddard solvent | Inhalation | nervous system | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 4.6 mg/l | 6 months |
| Stoddard solvent | Inhalation | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 1.9 mg/l | 13 weeks |
| Stoddard solvent | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL 0.6 mg/l | 90 days |
| Stoddard solvent | Inhalation | bone, teeth, nails, and/or hair blood liver muscles | All data are negative | Rat | NOAEL 5.6 mg/l | 12 weeks |
| Stoddard solvent | Inhalation | heart | All data are negative | Multiple animal species | NOAEL 1.3 mg/l | 90 days |

Aspiration Hazard

| Name | Value |
|--|-------------------|
| Naphtha (petroleum), hydrotreated heavy | Aspiration hazard |
| Distillates (petroleum), hydrotreated light | Aspiration hazard |
| Stoddard solvent | Aspiration hazard |
| Distillates (petroleum), hydrotreated middle | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS Nbr | Organism | Туре | Exposure | Test endpoint | Test result |
|-------------------|--------------|-------------|----------------------------|----------|---------------|-------------|
| Glycerol | 9082-00-2 | Inland | Estimated | 96 hours | LC50 | 650 mg/l |
| poly(oxyethyle | | Silverside | | | | |
| ne, | | | | | | |
| oxypropylene) | | | | | | |
| ether | | | | | | |
| Ceramic | 66402-68-4 | | Data not | | | |
| materials and | | | available or | | | |
| wares, | | | insufficient for | | | |
| chemicals | | | classification | | | |
| Naphtha | 64742-48-9 | | Data not | | | |
| (petroleum), | | | available or | | | |
| hydrotreated | | | insufficient for | | | |
| heavy | | | classification | | | |
| Siloxanes and | 63148-62-9 | | Data not | | | |
| silicones, di- | 05110 02 9 | | available or | | | |
| Me | | | insufficient for | | | |
| IVIC | | | classification | | | |
| Distillates | 64742-46-7 | | Data not | | | |
| (petroleum), | 0+/+2-+0-/ | | available or | | | |
| hydrotreated | | | insufficient for | | | |
| middle | | | classification | | | |
| Organic salt | Trade Secret | | Data not | | | |
| Organic sait | Trade Secret | | available or | | | |
| | | | insufficient for | | | |
| | | | classification | | | |
| Distillates | 64742-47-8 | | Data not | | | |
| | 04/42-4/-8 | | available or | | | |
| (petroleum), | | | insufficient for | | | |
| hydrotreated | | | | | | |
| light Stoddard | 8052-41-3 | | classification Data not | | | |
| | 8052-41-3 | | | | | |
| solvent | | | available or | | | |
| | | | insufficient for | | | |
| D (/ 11 | (0.47(.02.0 | 0.11.0.1 | classification | 40.1 | 1.050 | |
| Fatty acids, | 68476-03-9 | Golden Orfe | Experimental | 48 hours | LC50 | >500 mg/l |
| montan-wax | | | | | | |
| Fatty acids, | 73138-45-1 | | Data not | | | |
| Montan-wax, | | | available or | | | |
| Ethylene Esters | | | insufficient for | | | |
| | | | classification | | | |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|---|--------------|--|----------|------------|-------------|----------|
| Glycerol poly(oxyethyle ne, oxypropylene) ether | 9082-00-2 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Fatty acids, montan-wax | 68476-03-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Organic salt | Trade Secret | Data not | N/A | N/A | N/A | N/A |

| | | available or insufficient for classification | | | | |
|---|------------|--|---------|-----------------------------------|----------------------|--------------------------------------|
| Fatty acids, Montan-wax, Ethylene Esters | 73138-45-1 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Siloxanes and silicones, di- Me | 63148-62-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Naphtha (petroleum), hydrotreated heavy | 64742-48-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Ceramic materials and wares, chemicals | 66402-68-4 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Distillates (petroleum), hydrotreated middle | 64742-46-7 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Distillates (petroleum), hydrotreated middle | 64742-46-7 | Estimated Photolysis | | Photolytic half- life (in air) | 2.45 days (t 1/2) | Other methods |
| Stoddard solvent | 8052-41-3 | Estimated Photolysis | | Photolytic half- life (in air) | 6.49 days (t 1/2) | Other methods |
| Stoddard solvent | 8052-41-3 | Experimental Biodegradation | 28 days | CO2 evolution | 63 % weight | OECD 301B - Modified sturm or CO2 |

12.3 : Bioaccumulative potential

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|---|--------------|--|----------|----------------------------|-------------|---------------|
| Glycerol poly(oxyethyle ne, oxypropylene) ether | 9082-00-2 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Fatty acids, montan-wax | 68476-03-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Organic salt | Trade Secret | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Fatty acids, Montan-wax, Ethylene Esters | 73138-45-1 | Estimated Bioconcentrati on | | Bioaccumulati on factor | 20.5 | Other methods |

| Siloxanes and silicones, di- Me | 63148-62-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
|---|------------|--|-----|----------------------------|------|---|
| Naphtha (petroleum), hydrotreated heavy | 64742-48-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Distillates (petroleum), hydrotreated light | 64742-47-8 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Ceramic materials and wares, chemicals | 66402-68-4 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Distillates (petroleum), hydrotreated middle | 64742-46-7 | Estimated Bioconcentrati on | | Log Kow | 4.61 | Estimated: Octanol- water partition coefficient |
| Stoddard solvent | 8052-41-3 | Experimental BCF - Other | | Bioaccumulati on factor | 1944 | Other methods |
| Stoddard solvent | 8052-41-3 | Experimental Bioconcentrati on | | Log Kow | 7.06 | Other methods |

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

Incinerate in a permitted waste incineration facility. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

20 01 13* Solvents

SECTION 14: Transportation information

ADR: UN1325; Flammable Solid, Organic, N.O.S. (Hydrotreated Heavy Naphtha (Petroleum) and Hydrotreated Light Petroleum Distillates); 4.1; II; (E); F1.

IMDG: UN1325; Flammable Solid, Organic, N.O.S. (Hydrotreated Heavy Naphtha (Petroleum) and Hydrotreated Light Petroleum Distillates); 4.1; II; EMS: FA, SG.

IATA: UN1325; Flammable Solid, Organic, N.O.S. (Hydrotreated Heavy Naphtha (Petroleum) and Hydrotreated Light Petroleum Distillates); 4.1; II.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the chemical notification requirements of TSCA.

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

List of relevant H statements

| EUH066 | Repeated exposure may cause skin dryness or cracking. |
|--------|---|
| H226 | Flammable liquid and vapour. |
| H228 | Flammable solid. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H332 | Harmful if inhaled. |
| H336 | May cause drowsiness or dizziness. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |

List of relevant R-phrases

| R10 | Flammable. |
|--------|---|
| R11 | Highly flammable. |
| R20 | Harmful by inhalation. |
| R38 | Irritating to skin. |
| R48/20 | Harmful: danger of serious damage to health by prolonged exposure through inhalation. |
| R65 | Harmful: May cause lung damage if swallowed. |
| R66 | Repeated exposure may cause skin dryness or cracking. |
| R67 | Vapours may cause drowsiness and dizziness. |

Revision information:

Revision Changes:

Section 01: 1.3. Details of the supplier of the safety data sheet heading information was modified.

Section 3: Composition/ Information of ingredients table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 14: Transportation classification information was modified.

Copyright information was modified.

Label: Signal Word information was modified. Label: CLP Precautionary - Prevention information was modified. CLP: Ingredient table information was modified. Section 8: Occupational exposure limit table information was modified. Section 11: Aspiration Hazard Table information was modified. Section 11: Acute Toxicity table information was modified. Section 11: Carcinogenicity Table information was modified. Section 11: Serious Eye Damage/Irritation Table information was modified. Section 11: Germ Cell Mutagenicity Table information was modified. Section 11: Additional Health Effects heading information was modified. Section 11: Skin Sensitization Table information was modified. Section 11: Reproductive Toxicity Table information was modified. Section 11: Skin Corrosion/Irritation Table information was modified. Section 11: Target Organs - Repeated Table information was modified. Section 11: Target Organs - Single Table information was modified. Section 11: Health Effects - Inhalation information information was modified. Section 11: Health Effects - Ingestion information information was modified. Section 5: Fire - Extinguishing media information information was modified. Section 6: Accidental release personal information information was modified. Section 13: Standard Phrase Category Waste GHS information was modified. Section 11: Single exposure may cause target organ effects heading information was modified. Section 11: Aspiration Hazard table - Name heading information was added. Section 11: Aspiration Hazard table - Value heading information was added. Section 11: Respiratory Sensitization text information was added. Section 11: Skin Sensitization table - Name heading information was added. Section 11: Skin Sensitization table - Species heading information was added. Section 11: Skin Sensitization table - Value heading information was added. Section 11: Serious Eye Damage/Irritation table - Name heading information was added. Section 11: Serious Eye Damage/Irritation table - Species heading information was added. Section 11: Serious Eye Damage/Irritation table - Value heading information was added. Section 11: Skin Corrosion/Irritation table - Name heading information was added. Section 11: Skin Corrosion/Irritation table - Species heading information was added. Section 11: Skin Corrosion/Irritation table - Value heading information was added. Section 11: Germ Cell Mutagenicity table - Name heading information was added. Section 11: Germ Cell Mutagenicity table - Route heading information was added. Section 11: Germ Cell Mutagenicity table - Value heading information was added. Section 11: Specific Target Organ Toxicity - repeated exposure table - Name heading information was added. Section 11: Specific Target Organ Toxicity - repeated exposure table - Route heading information was added. Section 11: Specific Target Organ Toxicity - repeated exposure table - Target Organ(s) heading information was added. Section 11: Specific Target Organ Toxicity - repeated exposure table - Value heading information was added. Section 11: Specific Target Organ Toxicity - repeated exposure table - Species heading information was added. Section 11: Specific Target Organ Toxicity - repeated exposure table - Test Result heading information was added. Section 11: Specific Target Organ Toxicity - repeated exposure table - Exposure Duration heading information was added. Section 11: Specific Target Organ Toxicity - single exposure table - Name heading information was added. Section 11: Specific Target Organ Toxicity - single exposure table - Route heading information was added. Section 11: Specific Target Organ Toxicity - single exposure table - Target Organ(s) heading information was added. Section 11: Specific Target Organ Toxicity - single exposure table - Value heading information was added. Section 11: Specific Target Organ Toxicity - single exposure table - Species heading information was added. Section 11: Specific Target Organ Toxicity - single exposure table - Test Result heading information was added. Section 11: Specific Target Organ Toxicity - single exposure table - Exposure Duration heading information was added. Section 11: Reproductive and/or Developmental Effects table - Name heading information was added. Section 11: Reproductive and/or Developmental Effects table - Route heading information was added. Section 11: Reproductive and/or Developmental Effects table - Value heading information was added. Section 11: Reproductive and/or Developmental Effects table - Species heading information was added. Section 11: Reproductive and/or Developmental Effects table - Test Result heading information was added. Section 11: Reproductive and/or Developmental Effects text information was added.

- Section 11: Carcinogenicity table Name heading information was added.
- Section 11: Carcinogenicity table Route heading information was added.
- Section 11: Carcinogenicity table Species heading information was added.
- Section 11: Carcinogenicity table Value heading information was added.
- Section 8: glove data Material heading information was added.
- Section 8: glove data Thickness heading information was added. Section 8: glove data Breakthrough Time heading information was added.
- Section 8: glove data value information was added.
- Section 8: Skin protection recommended gloves information information was deleted.
- Section 11: Exposure Duration table heading information was deleted.
- Section 11: Test Result table heading information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. United Kingdom MSDSs are available at www.meguiars.co.uk