

Safety Data Sheet

Copyright, 2015, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

28-7611-8 4.00 **Document group:** Version number: 10/05/2015 **Revision date: Supersedes date:** 01/04/2015

Transportation version number: 1.00 (10/08/2011)

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

G192, Ultimate Polish (24-05B): G192

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF Address:

+44 (0)870 241 6696 **Telephone:** E Mail: info@meguiars.co.uk www.meguiars.co.uk Website:

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

Specific Target Organ Toxicity-Repeated Exposure, Category 2 - STOT RE 2; H373

For full text of H phrases, see Section 16.

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

This product is not classified as hazardous according to EU Directive 1999/45/EC.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

Symbols:

GHS08 (Health Hazard)

Pictograms



Ingredient CAS Nbr % by Wt Solvent naphtha (petroleum), medium aliph. 64742-88-7 1 - 5

HAZARD STATEMENTS:

H373 May cause damage to organs through prolonged or repeated exposure: nervous system

PRECAUTIONARY STATEMENTS

General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Prevention:

P260A Do not breathe vapours.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

SUPPLEMENTAL INFORMATION

Supplemental Hazard Statements:

EUH208 Contains Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-

isothiazol-3-one. May produce an allergic reaction.

9% of the mixture consists of components of unknown acute oral toxicity.

Contains 19% of components with unknown hazards to the aquatic environment.

Notes on labelling

H304 is not required on the label due to the product's viscosity

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

Not applicable

Notes on labelling

R65 is not required on the label due to the product's viscosity.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

| Ingredient | CAS Nbr | EU Inventory | % by Wt | Classification |
|---|------------|----------------------|-----------|--|
| Non-Hazardous Ingredients | Mixture | | 60 - 80 | |
| Alkanes, C12-14-iso- | 68551-19-9 | EINECS 271- 369-5 | < 10 | Xn:R65; R66; R67 (Vendor) |
| | | | | Asp. Tox. 1, H304; STOT SE 3, H336; EUH066 (Vendor) |
| White mineral oil (petroleum) | 8042-47-5 | EINECS 232- 455-8 | 5 - 10 | Xn:R65 (Self Classified) |
| | | | | Asp. Tox. 1, H304 (Self Classified) |
| Aluminium Oxide (non-fibrous) | 1344-28-1 | EINECS 215- 691-6 | 1 - 5 | |
| Siloxanes and silicones, di-Me | 63148-62-9 | | 1 - 5 | |
| Solvent naphtha (petroleum), medium aliph. | 64742-88-7 | EINECS 265- 191-7 | 1 - 5 | Xn:R48/20; Xn:R65 (EU) R66; R67 (Self Classified) |
| | | | | Asp. Tox. 1, H304; STOT RE 1, H372 (CLP) |
| | | | | STOT SE 3, H336; EUH066 (Self Classified) |
| Triethanolamine | 102-71-6 | EINECS 203- 049-8 | 0.5 - 1.5 | |
| Glycerin | 56-81-5 | EINECS 200- 289-5 | 0.5 - 1.5 | |
| PEG Stearate | 9004-99-3 | | 0.1 - 1.0 | N:R50 (Self Classified) |
| | | | | Aquatic Acute 1, H400,M=1; |
| | | | | Aquatic Chronic 3, H412 (Self Classified) |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | 55965-84-9 | | < 0.001 | T:R23-24-25; C:R34; N:R50/53; R43 (EU) |
| | | | | Acute Tox. 3, H331; Acute Tox. 3, H311; Acute Tox. 3, H301; Skin Corr. 1B, H314; Skin Sens. 1A, H317; Aquatic Acute 1, H400,M=10; Aquatic Chronic 1, H410,M=10 (CLP) |

Please see section 16 for the full text of any R phrases and H statements referred to in this section Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

No need for first aid is anticipated.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

| <u>Substance</u> <u>Condition</u> | |
|-----------------------------------|--------------------|
| Hydrocarbons. | During combustion. |
| Formaldehyde | During combustion. |
| Carbon monoxide. | During combustion. |
| Carbon dioxide. | During combustion. |
| Irritant vapours or gases. | During combustion. |

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Page: 4 of 16

Keep out of reach of children. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Avoid breathing dust/fume/gas/mist/vapours/spray.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

IngredientCAS NbrAgencyLimit typeAdditional commentsAluminium Oxide (non-fibrous)1344-28-1UK HSCTWA(as inhalable dust):10
mg/m³;TWA(as respirable
dust):4 mg/m³

Glycerin 56-81-5 UK HSC TWA(as mist):10 mg/m3

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Appearance/Odour Sweet odour; White, creamy lotion

Odour threshold *No data available.*

pH 8.00

Page: 5 of 16

Boiling point/boiling range>= 100 °CMelting pointNot applicable.Flammability (solid, gas)Not applicable.Explosive propertiesNot classifiedOxidising propertiesNot classified

Flash point = 93.3 °C [Test Method: Pensky-Martens Closed Cup]

Autoignition temperatureNo data available.Flammable Limits(LEL)No data available.Flammable Limits(UEL)No data available.Vapour pressureNo data available.

Relative density 1.18 [Ref Std:WATER=1]

Water solubility Moderate

Solubility- non-water

Partition coefficient: n-octanol/water

Evaporation rate

Vapour density

Decomposition temperature

Viscosity

Density

No data available.
No data available.
No data available.
No data available.
22 - 30 Pa-s
1.18 g/cm3

9.2. Other information

Volatile organic compounds (VOC) 5.00 % weight VOC less H2O & exempt solvents 836.57 g/l

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Sparks and/or flames.

Heat.

10.5 Incompatible materials

Strong acids.
Strong bases.

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient

Page: 6 of 16

classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No known health effects.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eve contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---|-------------|---------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Inhalation- | | No data available; calculated ATE >50 mg/l |
| | Vapor(4 hr) | | |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| White mineral oil (petroleum) | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| White mineral oil (petroleum) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Aluminium Oxide (non-fibrous) | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Siloxanes and silicones, di-Me | Dermal | Rabbit | LD50 > 19,400 mg/kg |
| Aluminium Oxide (non-fibrous) | Inhalation- | Rat | LC50 > 2.3 mg/l |
| | Dust/Mist | | |
| | (4 hours) | | |
| Aluminium Oxide (non-fibrous) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Solvent naphtha (petroleum), medium aliph. | Dermal | Rat | LD50 > 2,000 mg/kg |
| Solvent naphtha (petroleum), medium aliph. | Inhalation- | Rat | LC50 estimated to be 20 - 50 mg/l |
| | Vapor | | |
| Solvent naphtha (petroleum), medium aliph. | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Siloxanes and silicones, di-Me | Ingestion | Rat | LD50 > 17,000 mg/kg |
| Triethanolamine | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Triethanolamine | Ingestion | Rat | LD50 9,000 mg/kg |
| Glycerin | Dermal | Rabbit | LD50 estimated to be > 5,000 mg/kg |
| Glycerin | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- | Dermal | Rabbit | LD50 87 mg/kg |
| 2H-isothiazol-3-one | | | |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- | Inhalation- | Rat | LC50 0.33 mg/l |
| 2H-isothiazol-3-one | Dust/Mist | | |
| | (4 hours) | | |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Ingestion | Rat | LD50 40 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|------|---------|-------|
| | | |

| White mineral oil (petroleum) | Rabbit | No significant irritation |
|--|-----------|---------------------------|
| Aluminium Oxide (non-fibrous) | Rabbit | No significant irritation |
| Solvent naphtha (petroleum), medium aliph. | Not | Minimal irritation |
| | available | |
| Siloxanes and silicones, di-Me | Rabbit | No significant irritation |
| Triethanolamine | Rabbit | Minimal irritation |
| Glycerin | Rabbit | No significant irritation |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- | Rabbit | Corrosive |
| one | | |

Serious Eye Damage/Irritation

| Name | Species | Value |
|--|-----------|---------------------------|
| White mineral oil (petroleum) | Rabbit | Mild irritant |
| Aluminium Oxide (non-fibrous) | Rabbit | No significant irritation |
| Solvent naphtha (petroleum), medium aliph. | Not | No significant irritation |
| | available | |
| Siloxanes and silicones, di-Me | Rabbit | No significant irritation |
| Triethanolamine | Rabbit | Mild irritant |
| Glycerin | Rabbit | No significant irritation |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- | Rabbit | Corrosive |
| one | | |

Skin Sensitisation

| Name | Species | Value |
|--|------------------|--|
| White mineral oil (petroleum) | Guinea pig | Not sensitising |
| Solvent naphtha (petroleum), medium aliph. | Not available | Not sensitising |
| Triethanolamine | Human | Some positive data exist, but the data are not sufficient for classification |
| Glycerin | Guinea pig | Not sensitising |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- | Human | Sensitising |
| one | and animal | |

Photosensitisation

| Name | Species | Value |
|--|---------|-----------------|
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- | Human | Not sensitising |
| one | and | |
| | animal | |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name F | | Value |
|--|----------|--|
| | | |
| White mineral oil (petroleum) | In Vitro | Not mutagenic |
| Aluminium Oxide (non-fibrous) | In Vitro | Not mutagenic |
| Triethanolamine | In Vitro | Not mutagenic |
| Triethanolamine | In vivo | Not mutagenic |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- | | Not mutagenic |
| one | | |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- | In Vitro | Some positive data exist, but the data are not |
| one | | sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|-------------------------------|------------|----------|------------------|
| White mineral oil (petroleum) | Dermal | Mouse | Not carcinogenic |
| White mineral oil (petroleum) | Inhalation | Multiple | Not carcinogenic |

Page: 8 of 16

| | | animal species | |
|---|------------|-------------------------------|--|
| Aluminium Oxide (non-fibrous) | Inhalation | Rat | Not carcinogenic |
| Triethanolamine | Dermal | Multiple animal species | Not carcinogenic |
| Triethanolamine | Ingestion | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Glycerin | Ingestion | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Dermal | Mouse | Not carcinogenic |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | Ingestion | Rat | Not carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|---|-----------|----------------------------------|---------|-----------------------------|-------------------------|
| White mineral oil (petroleum) | Ingestion | Not toxic to female reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| White mineral oil (petroleum) | Ingestion | Not toxic to male reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| White mineral oil (petroleum) | Ingestion | Not toxic to development | Rat | NOAEL 4,350 mg/kg/day | during gestation |
| Triethanolamine | Ingestion | Not toxic to development | Mouse | NOAEL 1,125 mg/kg/day | during organogenesis |
| Glycerin | Ingestion | Not toxic to female reproduction | Rat | NOAEL 2,000 mg/kg/day | 2 generation |
| Glycerin | Ingestion | Not toxic to male reproduction | Rat | NOAEL 2,000 mg/kg/day | 2 generation |
| Glycerin | Ingestion | Not toxic to development | Rat | NOAEL 2,000 mg/kg/day | 2 generation |
| Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one | Ingestion | Not toxic to female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one | Ingestion | Not toxic to male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| Mixture of 5-chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one | Ingestion | Not toxic to development | Rat | NOAEL 15 mg/kg/day | during organogenesis |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---|------------|--------------------------------------|--|------------------------------|------------------------|----------------------|
| Solvent naphtha (petroleum), medium aliph. | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Mixture of 5-chloro-2- methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name Route Target Organ(s) | Value | Species | Test result | Exposure |
|----------------------------|-------|---------|-------------|----------|
|----------------------------|-------|---------|-------------|----------|

Page: 9 of 16

| | | | | | | Duration |
|-----------------------------------|------------|---|--|-------------------------------|------------------------------|-----------------------|
| White mineral oil (petroleum) | Ingestion | hematopoietic system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1,381 mg/kg/day | 90 days |
| White mineral oil (petroleum) | Ingestion | liver immune system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1,336 mg/kg/day | 90 days |
| Aluminium Oxide (non- fibrous) | Inhalation | pneumoconiosis pulmonary fibrosis | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | occupational exposure |
| Triethanolamine | Dermal | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL 2,000 mg/kg/day | 2 years |
| Triethanolamine | Dermal | liver | Some positive data exist, but the data are not sufficient for classification | Mouse | NOAEL 4,000 mg/kg/day | 13 weeks |
| Triethanolamine | Ingestion | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 1,000 mg/kg/day | 2 years |
| Triethanolamine | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Guinea pig | NOAEL 1,600 mg/kg/day | 24 weeks |
| Glycerin | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 3.91 mg/l | 14 days |
| Glycerin | Inhalation | heart liver kidney and/or bladder | All data are negative | Rat | NOAEL 3.91 mg/l | 14 days |
| Glycerin | Ingestion | endocrine system hematopoietic system liver kidney and/or bladder | All data are negative | Rat | NOAEL 10,000 mg/kg/day | 2 years |

Aspiration Hazard

| Name | Value |
|--|-------------------|
| White mineral oil (petroleum) | Aspiration hazard |
| Solvent naphtha (petroleum), medium aliph. | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS Nbr | Organism | Type | Exposure | Test endpoint | Test result |
|--------------------------------------|------------|-------------|--|----------|---------------|-------------|
| Alkanes, C12- 14-iso- | 68551-19-9 | | Data not available or insufficient for classification | | | |
| Aluminium Oxide (non- fibrous) | 1344-28-1 | Water flea | Experimental | 48 hours | EC50 | >100 mg/l |
| Aluminium Oxide (non- | 1344-28-1 | Green algae | Experimental | 72 hours | NOEC | >100 mg/l |

Page: 10 of 16

| fibrous) | | | | | | |
|---|------------|---------------|------------------|---|--------------|-------------|
| Aluminium | 1344-28-1 | Fish | Experimental | 96 hours | LC50 | >100 mg/l |
| Oxide (non- | | | 1 | | | |
| fibrous) | | | | | | |
| Aluminium | 1344-28-1 | Green algae | Experimental | 72 hours | EC50 | >100 mg/l |
| Oxide (non- | | | | , = =================================== | | |
| fibrous) | | | | | | |
| Siloxanes and | 63148-62-9 | | Data not | | | |
| silicones, di- | 03140-02-7 | | available or | | | |
| Me | | | insufficient for | | | |
| IVIE | | | classification | | | |
|) () () () () () () () () () (| 55065.04.0 | C 1 | | 061 | ECCO | 0.062 |
| Mixture of 5- | 55965-84-9 | Green algae | Experimental | 96 hours | EC50 | 0.062 mg/l |
| chloro-2- | | | | | | |
| methyl-2H- | | | | | | |
| isothiazol-3- | | | | | | |
| one and 2- | | | | | | |
| methyl-2H- | | | | | | |
| isothiazol-3- | | | | | | |
| one | | | | | | |
| Mixture of 5- | 55965-84-9 | Rainbow trout | Experimental | 96 hours | LC50 | 0.07 mg/l |
| chloro-2- | | | | | | |
| methyl-2H- | | | | | | |
| isothiazol-3- | | | | | | |
| one and 2- | | | | | | |
| methyl-2H- | | | | | | |
| isothiazol-3- | | | | | | |
| one | | | | | | |
| Mixture of 5- | 55965-84-9 | Water flea | Experimental | 48 hours | EC50 | 0.18 mg/l |
| chloro-2- | 33903-04-9 | water frea | Experimentar | 46 110018 | EC30 | 0.18 mg/1 |
| | | | | | | |
| methyl-2H- | | | | | | |
| isothiazol-3- | | | | | | |
| one and 2- | | | | | | |
| methyl-2H- | | | | | | |
| isothiazol-3- | | | | | | |
| one | | | | | | |
| Mixture of 5- | 55965-84-9 | Water flea | Experimental | 21 days | NOEC | 0.172 mg/l |
| chloro-2- | | | | | | |
| methyl-2H- | | | | | | |
| isothiazol-3- | | | | | | |
| one and 2- | | | | | | |
| methyl-2H- | | | | | | |
| isothiazol-3- | | | | | | |
| one | | | | | | |
| White mineral | 8042-47-5 | Water flea | Experimental | 21 days | NOEC | >100 mg/l |
| oil (petroleum) | | 1 | 1 | - 5 | | G |
| White mineral | 8042-47-5 | Bluegill | Experimental | 96 hours | Lethal Level | >100 mg/l |
| oil (petroleum) | 33.12 17 3 | 21405111 | Zapomionui | 2 110 01 0 | 50% | 100 1119/1 |
| Solvent | 64742-88-7 | + | Data not | | 2070 | |
| | 07/72-00-/ | | available or | | | |
| naphtha | | | insufficient for | | | |
| (petroleum), | | | | | | |
| medium aliph. | 100 71 6 | 0 1 | classification | 70.1 | EG70 | 216 / |
| Triethanolamin | 102-71-6 | Green algae | Experimental | 72 hours | EC50 | 216 mg/l |
| e | | | | | | |
| Triethanolamin | 102-71-6 | Water flea | Experimental | 48 hours | EC50 | 609.98 mg/l |
| e | | | | | | |
| | • | <u>-</u> | · | | <u>-</u> | · |

| Triethanolamin | 102-71-6 | Goldfish | Experimental | 24 hours | LC50 | 5,000 mg/l |
|----------------|-----------|-------------|--------------|----------|------|--------------|
| e | | | | | | |
| Triethanolamin | 102-71-6 | Water flea | Experimental | 21 days | NOEC | 16 mg/l |
| e | | | | | | |
| Triethanolamin | 102-71-6 | Fathead | Experimental | 96 hours | LC50 | 11,800 mg/l |
| e | | minnow | | | | |
| Triethanolamin | 102-71-6 | Water flea | Experimental | 48 hours | EC50 | 609.98 mg/l |
| e | | | | | | |
| PEG Stearate | 9004-99-3 | Green algae | Estimated | 72 hours | NOEC | 0.25 mg/l |
| PEG Stearate | 9004-99-3 | Zebra Fish | Estimated | 96 hours | LC50 | 0.65 mg/l |
| PEG Stearate | 9004-99-3 | Water flea | Estimated | 48 hours | EC50 | 0.72 mg/l |
| PEG Stearate | 9004-99-3 | Green algae | Estimated | 72 hours | EC50 | 0.64 mg/l |
| Glycerin | 56-81-5 | Goldfish | Experimental | 24 hours | LC50 | >5,000 mg/l |
| Glycerin | 56-81-5 | Water flea | Experimental | 24 hours | EC50 | >10,000 mg/l |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|---|------------|--|----------|--------------------------------------|-------------|--------------------------------------|
| Alkanes, C12- 14-iso- | 68551-19-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Aluminium Oxide (non- fibrous) | 1344-28-1 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Siloxanes and silicones, di- Me | 63148-62-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Mixture of 5- chloro-2- methyl-2H- isothiazol-3- one and 2- methyl-2H- isothiazol-3- one | 55965-84-9 | Experimental Biodegradation | 28 days | CO2 evolution | 48 % weight | Other methods |
| Mixture of 5- chloro-2- methyl-2H- isothiazol-3- one and 2- methyl-2H- isothiazol-3- one | 55965-84-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| White mineral oil (petroleum) | 8042-47-5 | Experimental Biodegradation | 28 days | CO2 evolution | 0 % weight | OECD 301B - Modified sturm or CO2 |
| Solvent naphtha (petroleum), medium aliph. | 64742-88-7 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Triethanolamin e | 102-71-6 | Experimental Biodegradation | 19 days | Dissolv. Organic Carbon Deplet | 96 % weight | 40CFR 796.3240-Mod. OECD Scree |

| PEG Stearate | 9004-99-3 | Estimated | 28 days | CO2 evolution | 85.3 % weight | OECD 301B - |
|--------------|-----------|----------------|---------|---------------|---------------|-----------------------|
| | | Biodegradation | - | | _ | Modified sturm or CO2 |
| Glycerin | 56-81-5 | Experimental | 14 days | BOD | 63 % weight | OECD 301C - MITI |
| | | Biodegradation | | | | test (I) |

12.3 : Bioaccumulative potential

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|---|------------|--|----------|----------------------------|-------------|---|
| Alkanes, C12- 14-iso- | 68551-19-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Aluminium Oxide (non- fibrous) | 1344-28-1 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Siloxanes and silicones, di- Me | 63148-62-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Mixture of 5- chloro-2- methyl-2H- isothiazol-3- one and 2- methyl-2H- isothiazol-3- one | 55965-84-9 | Estimated Bioconcentrati on | | Log Kow | 0.5 | Other methods |
| Mixture of 5- chloro-2- methyl-2H- isothiazol-3- one and 2- methyl-2H- isothiazol-3- one | 55965-84-9 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| White mineral oil (petroleum) | 8042-47-5 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Solvent naphtha (petroleum), medium aliph. | 64742-88-7 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Triethanolamin e | 102-71-6 | Experimental Bioaccumulati on | | Log Kow | -2.3 | Estimated: Octanol- water partition coefficient |
| Triethanolamin e | 102-71-6 | Experimental Bioconcentrati on | | Log Kow | -1 | Other methods |
| PEG Stearate | 9004-99-3 | Estimated Bioconcentrati on | | Bioaccumulati on factor | 5.5 | Estimated: Bioconcentration factor |
| Glycerin | 56-81-5 | Experimental Bioconcentrati | | Log Kow | -1.76 | Other methods |

Page: 13 of 16

| on | |
|----|--|
| on | |
| | |
| | |
| | |
| | |

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

See Section 11.1 Information on toxicological effects

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC -2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

20 01 13* Solvents

SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

Ingredient CAS Nbr Classification Regulation Triethanolamine Gr. 3: Not classifiable International Agency for Research on Cancer

Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA.

15.2. Chemical Safety Assessment

Not applicable

EUH066

SECTION 16: Other information

List of relevant H statements

| | p |
|------|--|
| H301 | Toxic if swallowed. |
| H304 | May be fatal if swallowed and enters airways. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H331 | Toxic if inhaled. |
| H336 | May cause drowsiness or dizziness. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Repeated exposure may cause skin dryness or cracking.

List of relevant R-phrases

| R23 | Toxic by inhalation. |
|-----|-----------------------------|
| R24 | Toxic in contact with skin. |
| R25 | Toxic if swallowed. |
| R34 | Causes burns. |

May cause sensitisation by skin contact. R43

Harmful: danger of serious damage to health by prolonged exposure through inhalation. R48/20

Very toxic to aquatic organisms. R50

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. R50/53

Harmful: May cause lung damage if swallowed. R65 R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

Revision information:

Revision Changes:

Section 3: Composition/ Information of ingredients table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 11: Acute Toxicity table information was modified.

Section 11: Carcinogenicity Table information was modified.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Germ Cell Mutagenicity Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Photosensitisation Table information was modified.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Target Organs - Single Table information was modified.

List of sensitizers information was modified.

Section 2: Label remarks information was deleted.

Section 15: Label remarks and EU Detergent information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our

Page: 15 of 16

| G192. | Ultimate | Polish | (24-05B) | : G192 |
|-------|----------|--------|----------|--------|
| | | | | |

knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. United Kingdom MSDSs are available at www.meguiars.co.uk

Page: 16 of 16