

# **Safety Data Sheet**

Copyright, 2015, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| Document group:        | 34-4083-1                 | Version number:  | 2.00       |
|------------------------|---------------------------|------------------|------------|
| <b>Revision date:</b>  | 19/10/2015                | Supersedes date: | 01/04/2015 |
| Transportation version | number: 1.00 (01/04/2015) | -                |            |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier** A31, Deep Crystal Polish (21-61A): A3116

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# **Identified uses**

Automotive.

#### 1.3. Details of the supplier of the safety data sheet

Address:Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UFTelephone:+44 (0)870 241 6696E Mail:info@meguiars.co.ukWebsite:www.meguiars.co.uk

**1.4. Emergency telephone number** 

+44 (0)870 241 6696

# **SECTION 2: Hazard identification**

# 2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

#### **CLASSIFICATION:**

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315 Specific Target Organ Toxicity-Repeated Exposure, Category 2 - STOT RE 2; H373

For full text of H phrases, see Section 16.

# 2.2. Label elements CLP REGULATION (EC) No 1272/2008

**SIGNAL WORD** WARNING.

### **Symbols:** GHS07 (Exclamation mark) | GHS08 (Health Hazard) |

#### Pictograms



| Ingredient                                    | CAS Nbr    | % by Wt |
|---|------------|---------|
| Solvent naphtha (petroleum), medium aliphatic | 64742-88-7 | 5 - 15  |
| White mineral oil (petroleum)                 | 8042-47-5  | 1 - 10  |
|   |            |         |
| HAZARD STATEMENTS:                            |            |         |

| H315 | Causes skin irritation.  |                |
|------|--|----------------|
| H373 | May cause damage to organs through prolonged or repeated exposure: | nervous system |

| PRECAUTIONARY STATEME<br>General: | NTS  |
|-----------------------------------|--|
| P102                              | Keep out of reach of children.   |
| <b>Prevention:</b><br>P260A       | Do not breathe vapours.  |
| <b>Response:</b><br>P332 + P313   | If skin irritation occurs: Get medical advice/attention.   |
| Disposal:                         |  |
| P501                              | Dispose of contents/container in accordance with applicable local/regional/national/international regulations. |

# SUPPLEMENTAL INFORMATION

### **Supplemental Hazard Statements:**

EUH208Contains Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-<br/>isothiazol-3-one. May produce an allergic reaction.

1% of the mixture consists of components of unknown acute oral toxicity.

Contains 12% of components with unknown hazards to the aquatic environment.

#### Notes on labelling

H304 is not required on the label due to the product's viscosity Nota P applied to CAS 64742-48-9.

# 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

| Ingredient  | CAS Nbr    | EU Inventory         | % by Wt  | Classification  |
|---|------------|----------------------|----------|---|
| Non-Hazardous Ingredients   | Mixture    |                      | 50 - 70  |   |
| Kaolin, calcined  | 92704-41-1 | EINECS 296-<br>473-8 | 5 - 15   |   |
| Solvent naphtha (petroleum), medium aliphatic   | 64742-88-7 | EINECS 265-<br>191-7 | 5 - 15   | Asp. Tox. 1, H304; STOT RE 1,<br>H372 (CLP)<br>Flam. Liq. 3, H226; Skin Irrit. 2,<br>H315 (Self Classified)   |
| Glycerin  | 56-81-5    | EINECS 200-<br>289-5 | 1 - 10   |   |
| White mineral oil (petroleum)   | 8042-47-5  | EINECS 232-<br>455-8 | 1 - 10   | Asp. Tox. 1, H304 (Self<br>Classified)  |
| Processed oil   | Unknown    |                      | 1 - 5    |   |
| Naphtha (petroleum), hydrotreated heavy   | 64742-48-9 | EINECS 265-<br>150-3 | 1 - 5    | Asp. Tox. 1, H304 - Nota P<br>(CLP)<br>Skin Irrit. 2, H315; STOT SE 3,<br>H336 (Self Classified)  |
| Triethanolamine   | 102-71-6   | EINECS 203-<br>049-8 | 0.1 - 1  |   |
| PEG Stearate  | 9004-99-3  |                      | 0.1 - 1  | Aquatic Acute 1, H400,M=1;<br>Aquatic Chronic 3, H412 (Self<br>Classified)  |
| Mixture of 5-chloro-2-methyl-2H-<br>isothiazol-3-one and 2-methyl-2H-<br>isothiazol-3-one | 55965-84-9 |                      | < 0.0015 | Acute Tox. 3, H331; Acute Tox.<br>3, H311; Acute Tox. 3, H301;<br>Skin Corr. 1B, H314; Skin Sens.<br>1A, H317; Aquatic Acute 1,<br>H400,M=10; Aquatic Chronic 1,<br>H410,M=10 (CLP) |

Please see section 16 for the full text of any H statements referred to in this section Please refer to section 15 for any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

# Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

# If swallowed

Rinse mouth. If you feel unwell, get medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

# 4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

# **SECTION 5: Fire-fighting measures**

# 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

# 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

# Hazardous Decomposition or By-Products

| Substance        | <u>Condition</u>   |
|------------------|--------------------|
| Carbon monoxide. | During combustion. |
| Carbon dioxide.  | During combustion. |

# **5.3.** Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

# 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

# 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Seal the container. Dispose of collected material as soon as possible.

# 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

# 7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from oxidising agents.

# 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

### **Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

IngredientCAS NbrAgencyGlycerin56-81-5UK HSCNaphtha (petroleum),64742-48-9Manufacturerhydrotreated heavydeterminedUK HSC : UK Health and Safety CommissiondeterminedTWA: Time-Weighted-AverageSTEL: Short Term Exposure LimitCEIL: CeilingCeiling

Limit type TWA(as mist):10 mg/m3 TWA:100 ppm Additional comments

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

#### 8.2. Exposure controls

### **8.2.1.** Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Eye protection not required.

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

Material Polymer laminate Thickness (mm) No data available **Breakthrough Time** No data available

# **Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state Appearance/Odour Liquid. Sweet light cream

| Odour threshold                        | No data available. |
|--|--------------------|
| рН                                     | 8.3                |
| Boiling point/boiling range            | 193.3 °С           |
| Melting point                          | No data available. |
| Flammability (solid, gas)              | Not applicable.    |
| Explosive properties                   | Not classified     |
| Oxidising properties                   | Not classified     |
| Flash point                            | 200 °C             |
| Autoignition temperature               | No data available. |
| Flammable Limits(LEL)                  | No data available. |
| Flammable Limits(UEL)                  | No data available. |
| Vapour pressure                        | No data available. |
| Relative density                       | 1.01 g/cm3         |
| Water solubility                       | No data available. |
| Solubility- non-water                  | No data available. |
| Partition coefficient: n-octanol/water | No data available. |
| Evaporation rate                       | No data available. |
| Vapour density                         | No data available. |
| Decomposition temperature              | No data available. |
| Viscosity                              | 30 - 40 Pa-s       |
| Density                                | 1.01 g/ml          |

# 9.2. Other information

Data is not available for other physical and chemical parameters.

# **SECTION 10: Stability and reactivity**

# **10.1 Reactivity**

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

# 10.2 Chemical stability

Stable.

# 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

# 10.4 Conditions to avoid

None known.

# **10.5 Incompatible materials** Strong acids.

Strong oxidising agents.

# 10.6 Hazardous decomposition products

**Substance** None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient

**Condition** 

# classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

#### **11.1 Information on Toxicological effects**

#### Signs and Symptoms of Exposure

#### Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, dryness, cracking, blistering, and pain.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

# **Acute Toxicity**

| Name  | Route                | Species | Value  |
|---|----------------------|---------|--|
| Overall product   | Ingestion            |         | No data available; calculated ATE >5,000 mg/kg |
| Kaolin, calcined  | Ingestion            | Rat     | LD50 > 2,000 mg/kg                             |
| Solvent naphtha (petroleum), medium aliphatic   | Inhalation-<br>Vapor |         | LC50 estimated to be 20 - 50 mg/l              |
| Solvent naphtha (petroleum), medium aliphatic   | Dermal               | Rabbit  | LD50 > 3,000 mg/kg                             |
| Solvent naphtha (petroleum), medium aliphatic   | Ingestion            | Rat     | LD50 > 5,000 mg/kg                             |
| White mineral oil (petroleum)   | Dermal               | Rabbit  | LD50 > 2,000 mg/kg                             |
| White mineral oil (petroleum)   | Ingestion            | Rat     | LD50 > 5,000 mg/kg                             |
| Glycerin  | Dermal               | Rabbit  | LD50 estimated to be > 5,000 mg/kg             |
| Glycerin  | Ingestion            | Rat     | LD50 > 5,000 mg/kg                             |
| Naphtha (petroleum), hydrotreated heavy   | Inhalation-<br>Vapor |         | LC50 estimated to be 20 - 50 mg/l              |
| Naphtha (petroleum), hydrotreated heavy   | Dermal               | Rabbit  | LD50 > 3,000 mg/kg                             |
| Naphtha (petroleum), hydrotreated heavy   | Ingestion            | Rat     | LD50 > 5,000 mg/kg                             |
| Triethanolamine   | Dermal               | Rabbit  | LD50 > 2,000 mg/kg                             |
| Triethanolamine   | Ingestion            | Rat     | LD50 9,000 mg/kg                               |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-<br>2H-isothiazol-3-one | Dermal               | Rabbit  | LD50 87 mg/kg                                  |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-                        | Inhalation-          | Rat     | LC50 0.33 mg/l                                 |
| 2H-isothiazol-3-one   | Dust/Mist            |         |  |
|   | (4 hours)            |         |  |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one     | Ingestion            | Rat     | LD50 40 mg/kg                                  |

ATE = acute toxicity estimate

#### **Skin Corrosion/Irritation**

| Name  |  | Value                     |
|---|--|---------------------------|
|   |  |                           |
| Solvent naphtha (petroleum), medium aliphatic |  | Irritant                  |
| White mineral oil (petroleum)                 |  | No significant irritation |
| Glycerin                                      |  | No significant irritation |

| Naphtha (petroleum), hydrotreated heavy  |  | Irritant           |
|--|--|--------------------|
| Triethanolamine  |  | Minimal irritation |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- |  | Corrosive          |
| one  |  |                    |

# **Serious Eye Damage/Irritation**

| Name   | Species | Value                     |
|--|---------|---------------------------|
|  |         |                           |
| Solvent naphtha (petroleum), medium aliphatic                                  | Rabbit  | No significant irritation |
| White mineral oil (petroleum)  | Rabbit  | Mild irritant             |
| Glycerin   | Rabbit  | No significant irritation |
| Naphtha (petroleum), hydrotreated heavy  | Rabbit  | No significant irritation |
| Triethanolamine  | Rabbit  | Mild irritant             |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- | Rabbit  | Corrosive                 |
| one  |         |                           |

### **Skin Sensitisation**

| Name   | Species | Value  |
|--|---------|--|
|  |         |  |
| Solvent naphtha (petroleum), medium aliphatic                                  | Guinea  | Not sensitising                                |
|  | pig     |  |
| White mineral oil (petroleum)  | Guinea  | Not sensitising                                |
|  | pig     |  |
| Glycerin   | Guinea  | Not sensitising                                |
|  | pig     |  |
| Naphtha (petroleum), hydrotreated heavy  | Guinea  | Not sensitising                                |
|  | pig     |  |
| Triethanolamine  | Human   | Some positive data exist, but the data are not |
|  |         | sufficient for classification                  |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- | Human   | Sensitising                                    |
| one  | and     |  |
|  | animal  |  |

### Photosensitisation

| Name   | Species | Value           |
|--|---------|-----------------|
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3- | Human   | Not sensitising |
| one  | and     |                 |
|  | animal  |                 |

**Respiratory Sensitisation** For the component/components, either no data is currently available or the data is not sufficient for classification.

# Germ Cell Mutagenicity

| Name  | Route    | Value  |
|---|----------|--|
| Solvent naphtha (petroleum), medium aliphatic                                     | In vivo  | Not mutagenic  |
| Solvent naphtha (petroleum), medium aliphatic                                     | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| White mineral oil (petroleum)   | In Vitro | Not mutagenic  |
| Naphtha (petroleum), hydrotreated heavy   | In vivo  | Not mutagenic  |
| Naphtha (petroleum), hydrotreated heavy   | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Triethanolamine   | In Vitro | Not mutagenic  |
| Triethanolamine   | In vivo  | Not mutagenic  |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | In vivo  | Not mutagenic  |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one | In Vitro | Some positive data exist, but the data are not sufficient for classification |

# Carcinogenicity

| Name  | Route  | Species | Value  |
|---|--------|---------|--|
| Solvent naphtha (petroleum), medium aliphatic | Dermal | Mouse   | Some positive data exist, but the data are not |

|   |            |                               | sufficient for classification  |
|---|------------|-------------------------------|--|
| Solvent naphtha (petroleum), medium aliphatic   | Inhalation | Human<br>and<br>animal        | Some positive data exist, but the data are not sufficient for classification |
| White mineral oil (petroleum)   | Dermal     | Mouse                         | Not carcinogenic   |
| White mineral oil (petroleum)   | Inhalation | Multiple<br>animal<br>species | Not carcinogenic   |
| Glycerin  | Ingestion  | Mouse                         | Some positive data exist, but the data are not sufficient for classification |
| Naphtha (petroleum), hydrotreated heavy   | Dermal     | Mouse                         | Some positive data exist, but the data are not sufficient for classification |
| Naphtha (petroleum), hydrotreated heavy   | Inhalation | Human<br>and<br>animal        | Some positive data exist, but the data are not sufficient for classification |
| Triethanolamine   | Dermal     | Multiple<br>animal<br>species | Not carcinogenic   |
| Triethanolamine   | Ingestion  | Mouse                         | Some positive data exist, but the data are not sufficient for classification |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one     | Dermal     | Mouse                         | Not carcinogenic   |
| Mixture of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-<br>2H-isothiazol-3-one | Ingestion  | Rat                           | Not carcinogenic   |

# **Reproductive Toxicity**

# **Reproductive and/or Developmental Effects**

| Name  | Route      | Value                            | Species | Test result                 | Exposure<br>Duration    |
|---|------------|----------------------------------|---------|-----------------------------|-------------------------|
| Solvent naphtha (petroleum), medium aliphatic   | Inhalation | Not toxic to development         | Rat     | NOAEL 2.4<br>mg/l           | during<br>organogenesis |
| White mineral oil (petroleum)   | Ingestion  | Not toxic to female reproduction | Rat     | NOAEL<br>4,350<br>mg/kg/day | 13 weeks                |
| White mineral oil (petroleum)   | Ingestion  | Not toxic to male reproduction   | Rat     | NOAEL<br>4,350<br>mg/kg/day | 13 weeks                |
| White mineral oil (petroleum)   | Ingestion  | Not toxic to development         | Rat     | NOAEL<br>4,350<br>mg/kg/day | during<br>gestation     |
| Glycerin  | Ingestion  | Not toxic to female reproduction | Rat     | NOAEL<br>2,000<br>mg/kg/day | 2 generation            |
| Glycerin  | Ingestion  | Not toxic to male reproduction   | Rat     | NOAEL<br>2,000<br>mg/kg/day | 2 generation            |
| Glycerin  | Ingestion  | Not toxic to development         | Rat     | NOAEL<br>2,000<br>mg/kg/day | 2 generation            |
| Naphtha (petroleum), hydrotreated heavy   | Inhalation | Not toxic to development         | Rat     | NOAEL 2.4<br>mg/l           | during<br>organogenesis |
| Triethanolamine   | Ingestion  | Not toxic to development         | Mouse   | NOAEL<br>1,125<br>mg/kg/day | during<br>organogenesis |
| Mixture of 5-chloro-2-methyl-2H-<br>isothiazol-3-one and 2-methyl-2H-<br>isothiazol-3-one | Ingestion  | Not toxic to female reproduction | Rat     | NOAEL 10<br>mg/kg/day       | 2 generation            |
| Mixture of 5-chloro-2-methyl-2H-<br>isothiazol-3-one and 2-methyl-2H-<br>isothiazol-3-one | Ingestion  | Not toxic to male reproduction   | Rat     | NOAEL 10<br>mg/kg/day       | 2 generation            |
| Mixture of 5-chloro-2-methyl-2H-<br>isothiazol-3-one and 2-methyl-2H-<br>isothiazol-3-one | Ingestion  | Not toxic to development         | Rat     | NOAEL 15<br>mg/kg/day       | during<br>organogenesis |

Target Organ(s)

| Name  | Route      | Target Organ(s)                      | Value  | Species                           | Test result            | Exposure<br>Duration |
|---|------------|--------------------------------------|--|-----------------------------------|------------------------|----------------------|
| Solvent naphtha<br>(petroleum), medium<br>aliphatic   | Inhalation | central nervous<br>system depression | May cause drowsiness or dizziness  | Human<br>and<br>animal            | NOAEL Not<br>available |                      |
| Solvent naphtha<br>(petroleum), medium<br>aliphatic   | Inhalation | respiratory irritation               | Some positive data exist, but the data are not sufficient for classification |                                   | NOAEL Not<br>available |                      |
| Solvent naphtha<br>(petroleum), medium<br>aliphatic   | Inhalation | nervous system                       | Some positive data exist, but the data are not sufficient for classification | Dog                               | NOAEL 6.5<br>mg/l      | 4 hours              |
| Solvent naphtha<br>(petroleum), medium<br>aliphatic   | Ingestion  | central nervous<br>system depression | May cause drowsiness or<br>dizziness   | Professio<br>nal<br>judgeme<br>nt | NOAEL Not<br>available |                      |
| Naphtha (petroleum),<br>hydrotreated heavy  | Inhalation | central nervous<br>system depression | May cause drowsiness or<br>dizziness   | Human<br>and<br>animal            | NOAEL Not<br>available |                      |
| Naphtha (petroleum),<br>hydrotreated heavy  | Inhalation | respiratory irritation               | Some positive data exist, but the data are not sufficient for classification |                                   | NOAEL Not<br>available |                      |
| Naphtha (petroleum),<br>hydrotreated heavy  | Inhalation | nervous system                       | Some positive data exist, but the data are not sufficient for classification | Dog                               | NOAEL 6.5<br>mg/l      | 4 hours              |
| Naphtha (petroleum),<br>hydrotreated heavy  | Ingestion  | central nervous<br>system depression | May cause drowsiness or<br>dizziness   | Professio<br>nal<br>judgeme<br>nt | NOAEL Not<br>available |                      |
| Mixture of 5-chloro-2-<br>methyl-2H-isothiazol-3-<br>one and 2-methyl-2H-<br>isothiazol-3-one | Inhalation | respiratory irritation               | Some positive data exist, but the data are not sufficient for classification | similar<br>health<br>hazards      | NOAEL Not<br>available |                      |

# Specific Target Organ Toxicity - single exposure

# Specific Target Organ Toxicity - repeated exposure

| Name  | Name Route Target Organ(s) Value |   | Species  | Test result                   | Exposure<br>Duration         |          |
|---|----------------------------------|---|--|-------------------------------|------------------------------|----------|
| Solvent naphtha<br>(petroleum), medium<br>aliphatic | Inhalation                       | nervous system  | Some positive data exist, but the data are not sufficient for classification | Rat                           | LOAEL 4.6<br>mg/l            | 6 months |
| Solvent naphtha<br>(petroleum), medium<br>aliphatic | Inhalation                       | kidney and/or<br>bladder  | Some positive data exist, but the data are not sufficient for classification | Rat                           | LOAEL 1.9<br>mg/l            | 13 weeks |
| Solvent naphtha<br>(petroleum), medium<br>aliphatic | Inhalation                       | respiratory system  | Some positive data exist, but the data are not sufficient for classification | Multiple<br>animal<br>species | NOAEL 0.6<br>mg/l            | 90 days  |
| Solvent naphtha<br>(petroleum), medium<br>aliphatic | Inhalation                       | bone, teeth, nails,<br>and/or hair   blood  <br>liver   muscles | All data are negative  | Rat                           | NOAEL 5.6<br>mg/l            | 12 weeks |
| Solvent naphtha<br>(petroleum), medium<br>aliphatic | Inhalation                       | heart   | All data are negative  | Multiple<br>animal<br>species | NOAEL 1.3<br>mg/l            | 90 days  |
| White mineral oil (petroleum)                       | Ingestion                        | hematopoietic<br>system   | Some positive data exist, but the data are not sufficient for classification | Rat                           | NOAEL<br>1,381<br>mg/kg/day  | 90 days  |
| White mineral oil<br>(petroleum)                    | Ingestion                        | liver   immune<br>system  | Some positive data exist, but the data are not sufficient for classification | Rat                           | NOAEL<br>1,336<br>mg/kg/day  | 90 days  |
| Glycerin  | Inhalation                       | respiratory system  | Some positive data exist, but the data are not sufficient for classification | Rat                           | NOAEL 3.91<br>mg/l           | 14 days  |
| Glycerin  | Inhalation                       | heart   liver   kidney<br>and/or bladder                        | All data are negative  | Rat                           | NOAEL 3.91<br>mg/l           | 14 days  |
| Glycerin  | Ingestion                        | endocrine system  <br>hematopoietic<br>system   liver           | All data are negative  | Rat                           | NOAEL<br>10,000<br>mg/kg/day | 2 years  |

|  |            | kidney and/or<br>bladder  |  |                               |                             |          |
|--|------------|---|--|-------------------------------|-----------------------------|----------|
| Naphtha (petroleum),<br>hydrotreated heavy | Inhalation | nervous system  | Some positive data exist, but the data are not sufficient for classification | Rat                           | LOAEL 4.6<br>mg/l           | 6 months |
| Naphtha (petroleum),<br>hydrotreated heavy | Inhalation | kidney and/or<br>bladder  | Some positive data exist, but the data are not sufficient for classification | Rat                           | LOAEL 1.9<br>mg/l           | 13 weeks |
| Naphtha (petroleum),<br>hydrotreated heavy | Inhalation | respiratory system  | Some positive data exist, but the data are not sufficient for classification | Multiple<br>animal<br>species | NOAEL 0.6<br>mg/l           | 90 days  |
| Naphtha (petroleum),<br>hydrotreated heavy | Inhalation | bone, teeth, nails,<br>and/or hair   blood  <br>liver   muscles | All data are negative  | Rat                           | NOAEL 5.6<br>mg/l           | 12 weeks |
| Naphtha (petroleum),<br>hydrotreated heavy | Inhalation | heart   | All data are negative  | Multiple<br>animal<br>species | NOAEL 1.3<br>mg/l           | 90 days  |
| Triethanolamine                            | Dermal     | kidney and/or<br>bladder  | Some positive data exist, but the data are not sufficient for classification | Multiple<br>animal<br>species | NOAEL<br>2,000<br>mg/kg/day | 2 years  |
| Triethanolamine                            | Dermal     | liver   | Some positive data exist, but the data are not sufficient for classification | Mouse                         | NOAEL<br>4,000<br>mg/kg/day | 13 weeks |
| Triethanolamine                            | Ingestion  | kidney and/or<br>bladder  | Some positive data exist, but the data are not sufficient for classification | Rat                           | LOAEL<br>1,000<br>mg/kg/day | 2 years  |
| Triethanolamine                            | Ingestion  | liver   | Some positive data exist, but the data are not sufficient for classification | Guinea<br>pig                 | NOAEL<br>1,600<br>mg/kg/day | 24 weeks |

# **Aspiration Hazard**

| Name  | Value             |
|---|-------------------|
| Solvent naphtha (petroleum), medium aliphatic | Aspiration hazard |
| White mineral oil (petroleum)                 | Aspiration hazard |
| Naphtha (petroleum), hydrotreated heavy       | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

# 12.1. Toxicity

No product test data available.

| Material      | CAS Nbr    | Organism   | Туре         | Exposure | Test endpoint | Test result |
|---------------|------------|------------|--------------|----------|---------------|-------------|
| Mixture of 5- | 55965-84-9 | Diatom     | Experimental | 72 hours | EC50          | 0.021 mg/l  |
| chloro-2-     |            |            |              |          |               |             |
| methyl-2H-    |            |            |              |          |               |             |
| isothiazol-3- |            |            |              |          |               |             |
| one and 2-    |            |            |              |          |               |             |
| methyl-2H-    |            |            |              |          |               |             |
| isothiazol-3- |            |            |              |          |               |             |
| one           |            |            |              |          |               |             |
| Mixture of 5- | 55965-84-9 | Water flea | Experimental | 48 hours | EC50          | 0.18 mg/l   |
| chloro-2-     |            |            |              |          |               |             |

| methyl-2H-<br>isothiazol-3-<br>one and 2-<br>methyl-2H-<br>isothiazol-3-   |            |                   |  |          |                  |             |
|--|------------|-------------------|--|----------|------------------|-------------|
| one<br>Mixture of 5-<br>chloro-2-<br>methyl-2H-<br>isothiazol-3-<br>one and 2-<br>methyl-2H-<br>isothiazol-3-<br>one | 55965-84-9 | Diatom            | Experimental   | 72 hours | NOEC             | 0.01 mg/l   |
| Glycerin   | 56-81-5    | Golden Orfe       | Experimental   | 48 hours | LC50             | >100 mg/l   |
| Glycerin   | 56-81-5    | Water flea        | Experimental   | 24 hours | EC50             | >100 mg/l   |
| Kaolin,<br>calcined  | 92704-41-1 |                   | Data not<br>available or<br>insufficient for<br>classification |          |                  |             |
| Solvent<br>naphtha<br>(petroleum),<br>medium<br>aliphatic  | 64742-88-7 |                   | Data not<br>available or<br>insufficient for<br>classification |          |                  |             |
| PEG Stearate   | 9004-99-3  | Zebra Fish        | Estimated  | 96 hours | LC50             | 0.65 mg/l   |
| PEG Stearate   | 9004-99-3  | Green algae       | Estimated  | 72 hours | NOEC             | 0.25 mg/l   |
| PEG Stearate   | 9004-99-3  | Green algae       | Estimated  | 72 hours | EC50             | 0.64 mg/l   |
| PEG Stearate   | 9004-99-3  | Water flea        | Estimated  | 48 hours | EC50             | 0.72 mg/l   |
| Triethanolamin<br>e  | 102-71-6   | Water flea        | Experimental   | 21 days  | NOEC             | 16 mg/l     |
| Triethanolamin<br>e  | 102-71-6   | Green algae       | Experimental   | 72 hours | EC50             | 216 mg/l    |
| Triethanolamin<br>e  | 102-71-6   | Water flea        | Experimental   | 48 hours | EC50             | 609.98 mg/l |
| Triethanolamin<br>e  | 102-71-6   | Fathead<br>minnow | Experimental   | 96 hours | LC50             | 11,800 mg/l |
| White mineral oil (petroleum)  | 8042-47-5  | Water flea        | Experimental   | 21 days  | NOEC             | >100 mg/l   |
| White mineral oil (petroleum)  | 8042-47-5  | Bluegill          | Experimental   | 96 hours | Lethal Level 50% | >100 mg/l   |
| Naphtha<br>(petroleum),<br>hydrotreated<br>heavy   | 64742-48-9 |                   | Data not<br>available or<br>insufficient for<br>classification |          |                  |             |

# 12.2. Persistence and degradability

| Material     | CAS Nbr    | Test type        | Duration | Study Type | Test result | Protocol |
|--------------|------------|------------------|----------|------------|-------------|----------|
| Solvent      | 64742-88-7 | Data not         | N/A      | N/A        | N/A         | N/A      |
| naphtha      |            | available or     |          |            |             |          |
| (petroleum), |            | insufficient for |          |            |             |          |
| medium       |            | classification   |          |            |             |          |
| aliphatic    |            |                  |          |            |             |          |

| Mixture of 5-<br>chloro-2-<br>methyl-2H-<br>isothiazol-3-<br>one and 2-<br>methyl-2H-<br>isothiazol-3-<br>one | 55965-84-9 | Data not<br>available or<br>insufficient for<br>classification | N/A     | N/A                                  | N/A           | N/A                                  |
|---|------------|--|---------|--------------------------------------|---------------|--------------------------------------|
| Kaolin,<br>calcined   | 92704-41-1 | Data not<br>available or<br>insufficient for<br>classification | N/A     | N/A                                  | N/A           | N/A                                  |
| PEG Stearate  | 9004-99-3  | Estimated<br>Biodegradation                                    | 28 days | CO2 evolution                        | 85.3 % weight | OECD 301B - Modified sturm or CO2    |
| Triethanolamin<br>e   | 102-71-6   | Experimental<br>Biodegradation                                 | 19 days | Dissolv.<br>Organic<br>Carbon Deplet | 96 % weight   | OECD 301E - Modified<br>OECD Scre    |
| White mineral oil (petroleum)   | 8042-47-5  | Experimental Biodegradation                                    | 28 days | CO2 evolution                        | 0 % weight    | OECD 301B - Modified<br>sturm or CO2 |
| Glycerin  | 56-81-5    | Experimental<br>Biodegradation                                 | 14 days | BOD                                  | 63 % weight   | OECD 301C - MITI<br>test (I)         |
| Naphtha<br>(petroleum),<br>hydrotreated<br>heavy  | 64742-48-9 | Data not<br>available or<br>insufficient for<br>classification | N/A     | N/A                                  | N/A           | N/A                                  |

# **12.3 : Bioaccumulative potential**

| Material  | CAS Nbr    | Test type  | Duration | Study Type                 | Test result | Protocol                              |
|---|------------|--|----------|----------------------------|-------------|---------------------------------------|
| Kaolin,<br>calcined   | 92704-41-1 | Data not<br>available or<br>insufficient for<br>classification | N/A      | N/A                        | N/A         | N/A                                   |
| White mineral<br>oil (petroleum)  | 8042-47-5  | Data not<br>available or<br>insufficient for<br>classification | N/A      | N/A                        | N/A         | N/A                                   |
| Solvent<br>naphtha<br>(petroleum),<br>medium<br>aliphatic   | 64742-88-7 | Data not<br>available or<br>insufficient for<br>classification | N/A      | N/A                        | N/A         | N/A                                   |
| Mixture of 5-<br>chloro-2-<br>methyl-2H-<br>isothiazol-3-<br>one and 2-<br>methyl-2H-<br>isothiazol-3-<br>one | 55965-84-9 | Data not<br>available or<br>insufficient for<br>classification | N/A      | N/A                        | N/A         | N/A                                   |
| Triethanolamin<br>e   | 102-71-6   | Experimental<br>Bioconcentrati<br>on                           |          | Log Kow                    | -1          | Other methods                         |
| PEG Stearate  | 9004-99-3  | Estimated<br>Bioconcentrati                                    |          | Bioaccumulatio<br>n factor | 5.5         | Estimated:<br>Bioconcentration factor |

|              |            | on               |     |         |       |               |
|--------------|------------|------------------|-----|---------|-------|---------------|
| Glycerin     | 56-81-5    | Experimental     |     | Log Kow | -1.76 | Other methods |
|              |            | Bioconcentrati   |     |         |       |               |
|              |            | on               |     |         |       |               |
| Naphtha      | 64742-48-9 | Data not         | N/A | N/A     | N/A   | N/A           |
| (petroleum), |            | available or     |     |         |       |               |
| hydrotreated |            | insufficient for |     |         |       |               |
| heavy        |            | classification   |     |         |       |               |

# 12.4. Mobility in soil

Please contact manufacturer for more details

# 12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

#### 12.6. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods**

See Section 11.1 Information on toxicological effects

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

# EU waste code (product as sold)

20 01 13\* Solvents

# **SECTION 14: Transportation information**

ADR/IMDG/IATA: Not restricted for transport.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity Ingredient

Triethanolamine

<u>CAS Nbr</u> 102-71-6 <u>Classification</u> Gr. 3: Not classifiable <u>Regulation</u> International Agency for Research on Cancer

#### **Global inventory status**

Contact manufacturer for more information The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information.

The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA.

# 15.2. Chemical Safety Assessment

Not applicable

# **SECTION 16: Other information**

# List of relevant H statements

| H226 | Flammable liquid and vapour.                                       |
|------|--|
| H301 | Toxic if swallowed.  |
| H304 | May be fatal if swallowed and enters airways.                      |
| H311 | Toxic in contact with skin.  |
| H314 | Causes severe skin burns and eye damage.                           |
| H315 | Causes skin irritation.  |
| H317 | May cause an allergic skin reaction.                               |
| H331 | Toxic if inhaled.  |
| H372 | Causes damage to organs through prolonged or repeated exposure.    |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life.  |
| H410 | Very toxic to aquatic life with long lasting effects.              |
| H412 | Harmful to aquatic life with long lasting effects.                 |

# **Revision information:**

CLP: Ingredient table information was modified.

CLP Remark(phrase) information was added.

Contains statement for sensitizers information was added.

Section 2: Indication of danger information information was deleted.

Label: CLP Classification information was modified.

Label: CLP Precautionary - General information was modified.

Label: CLP Precautionary - Prevention information was modified.

Label: CLP Precautionary - Response information was modified.

Label: CLP Precautionary - Storage information was deleted.

Label: CLP Target Organ Hazard Statement information was modified.

Label: Graphic Text information was deleted.

Label: Graphic information was deleted.

Label: Signal Word information was modified.

Section 2: Label ingredient information information was deleted.

List of sensitizers information was added.

Section 2: R phrase reference information was deleted.

Risk phrase information was deleted.

Safety phrase information was deleted.

Section 3: Composition/ Information of ingredients table information was modified.

Section 3: Reference to H statement explanation in Section 016 information was added.

Section 3: Reference to R and H statement explanation in Section 16 information was deleted.

Section 3: Reference to section 15 for Nota info information was modified.

Section 4: First aid for ingestion (swallowing) information information was modified.

Section 6: Accidental release personal information information was modified.

Section 7: Precautions safe handling information information was modified.

Section 8: Eye protection information information was deleted.

Section 8: Occupational exposure limit table information was modified.

Section 8: Personal Protection - Eye information information was added. Section 8: Personal Protection - Skin/body information information was deleted. Section 8: Skin protection - protective clothing information information was deleted. Section 9: Viscosity information information was modified. Section 11: Acute Toxicity table information was modified. Section 11: Aspiration Hazard Table information was modified. Section 11: Carcinogenicity Table information was modified. Section 11: Germ Cell Mutagenicity Table information was modified. Section 11: Health Effects - Ingestion information information was modified. Section 11: Health Effects - Skin information information was modified. Photosensitisation Table information was modified. Section 11: Reproductive Toxicity Table information was modified. Section 11: Serious Eye Damage/Irritation Table information was modified. Section 11: Skin Corrosion/Irritation Table information was modified. Section 11: Skin Sensitization Table information was modified. Section 11: Target Organs - Repeated Table information was modified. Section 11: Target Organs - Single Table information was modified. Section 12: Component ecotoxicity information information was modified. Prints No Data if Adverse effects information is not present information was added. Section 12: Persistence and Degradability information information was modified. Section 12:Bioccumulative potential information information was modified. Section 15: Label remarks and EU Detergent information was added. Section 15: Regulations - Inventories information was modified. Section 16: List of relevant R phrase information information was deleted. Section 16: List of relevant R-phrases information was deleted. Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

### Meguiar's, Inc. United Kingdom MSDSs are available at www.meguiars.co.uk