



Safety Data Sheet

Copyright, 2012, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	27-4095-9	Version number:	1.03
Revision date:	30/07/2012	Supersedes date:	25/04/2012
Transportation version number:	1.00 (06/07/2011)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

A12, Liquid Car Cleaner Wax (21-139A): A1216

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the substance or mixture

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF
Telephone: +44 (0)870 241 6696
E Mail: info@meguiars.co.uk
Website: www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

2.2. Label elements

Dangerous substances(67/548/EEC)/preparations(1999/45/EC) directive

Symbols None.

Contains:

No ingredients are assigned to the label.

A12, Liquid Car Cleaner Wax (21-139A): A1216**Risk phrases**

R67 Vapours may cause drowsiness and dizziness.
 R66 Repeated exposure may cause skin dryness or cracking.

Safety phrases

S23A Do not breathe vapour.
 S24 Avoid contact with skin.
 S62 If swallowed, do not induce vomiting: Seek medical advice immediately and show this container or label.
 S2 Keep out of the reach of children.

Notes on labelling

R65 is not required on the label due to the product's viscosity.
 Updated per Regulation (EC) 648/2004 on detergents.
 Ingredients required per 648/2004: 15-30%: Aliphatic hydrocarbons; <5%: aromatic hydrocarbons, non-ionic surfactant.
 Contains: Perfumes, methylchloroisothiazolinone, methylisothiazolinone.
 Nota P applied for CASRN 64742-48-9. Nota N applied for CASRN 64742-46-7.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	EU Inventory	% by Wt	Classification
Non-hazardous ingredients	Mixture		50 - 70	
Naphtha (petroleum), hydrotreated heavy	64742-48-9	EINECS 265-150-3	10 - 30	Xn:R65 - Nota 4,P (EU) R66; R67 (Self Classified) Asp. Tox. 1, H304 - Nota P (CLP) STOT SE 3, H336; EUH066 (Self Classified)
Distillates (petroleum), hydrotreated light	64742-47-8	EINECS 265-149-8	3 - 7	Xn:R65 - Nota 4 (EU) R10; R66; R67 (Self Classified) Asp. Tox. 1, H304 (CLP) Flam. Liq. 3, H226; STOT SE 3, H336; EUH066 (Self Classified)
Siloxanes and silicones, di-Me	63148-62-9		1 - 5	
Ceramic materials and wares, chemicals	66402-68-4	EINECS 266-340-9	1 - 5	
Distillates (petroleum), hydrotreated middle	64742-46-7	EINECS 265-148-2	0.1 - 1.0	Nota N (EU) Xn:R20-65; R66 (Self Classified) Nota N (CLP) Acute Tox. 4, H332; Asp. Tox. 1, H304; STOT SE 3, H336; EUH066 (Self Classified)
Conditioners	Trade Secret		< 5	

Please see section 16 for the full text of any R phrases and H statements referred to in this section

Please refer to section 15 for the any applicable Notas that have been applied to the above components

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher for extinction.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

<u>Substance</u>	<u>Condition</u>
Formaldehyde	During combustion.
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.

5.3. Advice for fire-fighters

No unusual fire or explosion hazards are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning: A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a toxic, corrosivity or flammability hazard. Collect as much of the spilled material as possible. Clean up residue with detergent and water. Place in a closed container approved for transportation by appropriate authorities. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not use in a confined area or areas with little or no air movement. Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Store away from heat. Protect from sunlight. Store away from areas where product may come into contact with food or pharmaceuticals. Store away from acids. Store away from strong bases. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Naphtha (petroleum), hydrotreated heavy	64742-48-9	Manufacturer determined	TWA:100 ppm	

Health and Safety Comm. (UK) : UK Health and Safety Commission
TWA: Time-Weighted-Average
STEL: Short Term Exposure Limit
ppm: parts per million
mg/m³: milligrams per cubic metre
CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

As a good industrial hygiene practice:
Wear eye/face protection.

A12, Liquid Car Cleaner Wax (21-139A): A1216

The following eye protection(s) are recommended: Safety glasses with side shields.

Skin/hand protection

Wear protective gloves.

Gloves made from the following material(s) are recommended: Nitrile rubber.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Appearance/Odour	Sweet, pleasant odour; Creamy, ivory liquid
pH	8.5 - 9.2
Boiling point/boiling range	198.9 °C
Melting point	<i>Not applicable.</i>
Flammability (solid, gas)	Not classified
Explosive properties	Not classified
Oxidising properties	Not classified
Flash point	Flash point > 93 °C (200 °F)
Autoignition temperature	<i>No data available.</i>
Flammable Limits(LEL)	<i>No data available.</i>
Flammable Limits(UEL)	<i>No data available.</i>
Vapour pressure	<i>No data available.</i>
Relative density	0.91 - 1.01 [<i>Ref Std: WATER=1</i>]
Water solubility	Moderate
Partition coefficient: n-octanol/water	<i>No data available.</i>
Evaporation rate	<i>No data available.</i>
Vapour density	<i>No data available.</i>
Viscosity	26 - 32 Pa-s
Density	0.91 - 1.01 g/cm ³

9.2. Other information

Volatile organic compounds (VOC)	14.66 % weight
----------------------------------	----------------

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Strong acids.

Strong bases.

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance

Condition

None known.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

Inhalation

Intentional concentration and inhalation may be harmful or fatal. Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause target organ effects after inhalation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause target organ effects after ingestion.

Target Organ Effects:

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Toxicological Data

Acute Toxicity

Name	Route	Species	Value
------	-------	---------	-------

A12, Liquid Car Cleaner Wax (21-139A): A1216

Overall product	Ingestion		No test data available; calculated ATE >5,000 mg/kg
Naphtha (petroleum), hydrotreated heavy	Dermal	Rabbit	LD50 > 3,000 mg/kg
Naphtha (petroleum), hydrotreated heavy	Inhalation-Vapor (4 hours)	Rat	LC50 estimated to be 20 - 50 mg/l
Naphtha (petroleum), hydrotreated heavy	Ingestion	Rat	LD50 > 5,000 mg/kg
Distillates (petroleum), hydrotreated light	Dermal	Rabbit	LD50 > 3,160 mg/kg
Distillates (petroleum), hydrotreated light	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 3.0 mg/l
Distillates (petroleum), hydrotreated light	Ingestion	Rat	LD50 > 5,000 mg/kg
Ceramic materials and wares, chemicals	Dermal		LD50 estimated to be > 5,000 mg/kg
Ceramic materials and wares, chemicals	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Siloxanes and silicones, di-Me	Dermal		LD50 > 2,000 mg/kg
Siloxanes and silicones, di-Me	Ingestion		LD50 > 17,000 mg/kg
Distillates (petroleum), hydrotreated middle			No data available

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Naphtha (petroleum), hydrotreated heavy		Mild irritant
Distillates (petroleum), hydrotreated light		Mild irritant
Ceramic materials and wares, chemicals		No data available
Siloxanes and silicones, di-Me		Minimal irritation
Distillates (petroleum), hydrotreated middle		No data available

Serious Eye Damage/Irritation

Name	Species	Value
Naphtha (petroleum), hydrotreated heavy		Mild irritant
Distillates (petroleum), hydrotreated light		Mild irritant
Ceramic materials and wares, chemicals		No data available
Siloxanes and silicones, di-Me		Mild irritant
Distillates (petroleum), hydrotreated middle		No data available

Skin Sensitisation

Name	Species	Value
Naphtha (petroleum), hydrotreated heavy		Not sensitizing
Distillates (petroleum), hydrotreated light		Not sensitizing
Ceramic materials and wares, chemicals		No data available
Siloxanes and silicones, di-Me		No data available
Distillates (petroleum), hydrotreated middle		No data available

Respiratory Sensitisation

Name	Species	Value
Naphtha (petroleum), hydrotreated heavy		No data available
Distillates (petroleum), hydrotreated light		No data available
Ceramic materials and wares, chemicals		No data available
Siloxanes and silicones, di-Me		No data available
Distillates (petroleum), hydrotreated middle		No data available

Germ Cell Mutagenicity

Name	Route	Value
Naphtha (petroleum), hydrotreated heavy	Inhalation	Not mutagenic

A12, Liquid Car Cleaner Wax (21-139A): A1216

Naphtha (petroleum), hydrotreated heavy	In Vitro	Some positive data exist, but the data are not sufficient for classification
Distillates (petroleum), hydrotreated light	In Vitro	Not mutagenic
Ceramic materials and wares, chemicals	In Vitro	Some positive data exist, but the data are not sufficient for classification
Siloxanes and silicones, di-Me		No data available
Distillates (petroleum), hydrotreated middle		No data available

Carcinogenicity

Name	Route	Species	Value
Naphtha (petroleum), hydrotreated heavy	Dermal		Some positive data exist, but the data are not sufficient for classification
Naphtha (petroleum), hydrotreated heavy	Inhalation		Some positive data exist, but the data are not sufficient for classification
Distillates (petroleum), hydrotreated light	Dermal		Some positive data exist, but the data are not sufficient for classification
Ceramic materials and wares, chemicals	Inhalation		Carcinogenic.
Siloxanes and silicones, di-Me			No data available
Distillates (petroleum), hydrotreated middle			No data available

Reproductive Toxicity**Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
Naphtha (petroleum), hydrotreated heavy	Inhalation	Not toxic to reproduction and/or development		NOAEL 2.356 mg/l	
Distillates (petroleum), hydrotreated light	Inhalation	Not toxic to reproduction and/or development		NOAEL 364 ppm	
Ceramic materials and wares, chemicals		No data available			
Siloxanes and silicones, di-Me		No data available			
Distillates (petroleum), hydrotreated middle		No data available			

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Naphtha (petroleum), hydrotreated heavy	Inhalation	central nervous system depression	May cause drowsiness or dizziness		NOAEL N/A	
Naphtha (petroleum), hydrotreated heavy	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		Irritation Positive	
Naphtha (petroleum), hydrotreated heavy	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification		NOEL 6.5 mg/l	
Naphtha	Inhalation	respiratory	Some positive		NOEL 2.4 mg/l	

A12, Liquid Car Cleaner Wax (21-139A): A1216

(petroleum), hydrotreated heavy		system	data exist, but the data are not sufficient for classification			
Naphtha (petroleum), hydrotreated heavy	Inhalation	heart	All data are negative		NOAEL 2.5 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	liver kidney and/or bladder	All data are negative		NOAEL 0.610 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	muscles	All data are negative		NOAEL 0.61 mg/l	
Distillates (petroleum), hydrotreated light	Inhalation	central nervous system depression	May cause drowsiness or dizziness		NOAEL N/A	
Distillates (petroleum), hydrotreated light	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		Irritation Positive	
Ceramic materials and wares, chemicals	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		Irritation Positive	
Siloxanes and silicones, di-Me			No data available			
Distillates (petroleum), hydrotreated middle			No data available			

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Naphtha (petroleum), hydrotreated heavy	Dermal	nervous system	Some positive data exist, but the data are not sufficient for classification		LOEL 691 mg/kg	
Naphtha (petroleum), hydrotreated heavy	Inhalation	nervous system	Some positive data exist, but the data are not sufficient for classification		LOEL 4.580 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification		NOEL 0.619 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	endocrine system muscles	Some positive data exist, but the data are not sufficient for classification		LOEL 0.616 mg/l	

A12, Liquid Car Cleaner Wax (21-139A): A1216

Naphtha (petroleum), hydrotreated heavy	Inhalation	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification		LOEL 0.57 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	bone, teeth, nails, and/or hair blood liver	All data are negative		NOAEL 5.62 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	heart	All data are negative		NOAEL 1.271 mg/l	
Naphtha (petroleum), hydrotreated heavy	Inhalation	immune system	All data are negative		NOAEL 0.616 mg/l	
Distillates (petroleum), hydrotreated light	Dermal	bone, teeth, nails, and/or hair	Some positive data exist, but the data are not sufficient for classification		NOEL N/A	
Distillates (petroleum), hydrotreated light	Dermal	liver	Some positive data exist, but the data are not sufficient for classification		NOEL 1,000 mg/kg/day	
Distillates (petroleum), hydrotreated light	Inhalation	hematopoietic system	All data are negative		NOAEL 0.1 mg/l	
Distillates (petroleum), hydrotreated light	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification		NOEL 100 mg/kg/day	
Distillates (petroleum), hydrotreated light	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification		LOAEL 100 mg/kg	
Ceramic materials and wares, chemicals	Inhalation	pulmonary fibrosis	May cause damage to organs though prolonged or repeated exposure		NOAEL N/A	
Ceramic materials and wares, chemicals	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification		NOEL N/A	
Distillates (petroleum), hydrotreated middle			No data available			

Aspiration Hazard

Name	Value
Naphtha (petroleum), hydrotreated heavy	Aspiration hazard
Distillates (petroleum), hydrotreated light	Aspiration hazard
Ceramic materials and wares, chemicals	Not an aspiration hazard

A12, Liquid Car Cleaner Wax (21-139A): A1216

Siloxanes and silicones, di-Me	Not an aspiration hazard
Distillates (petroleum), hydrotreated middle	Not an aspiration hazard

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity**Acute aquatic hazard:**

Not acutely toxic to aquatic life by GHS criteria.

Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

No component test data available.

12.2. Persistence and degradability

No test data available.

12.3 : Bioaccumulative potential

No test data available.

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

No information available at this time, contact manufacturer for more details

12.6. Other adverse effects

No information available.

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

SECTION 13: Disposal considerations**13.1 Waste treatment methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

A12, Liquid Car Cleaner Wax (21-139A): A1216

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

20 01 30 Detergents other than those mentioned in 20 01 29.

SECTION 14: Transportation information

ADR: Not restricted for transport.

IMDG: Not restricted for transport.

IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact manufacturer for more information. The components of this material are in compliance with the provisions of the Korean Toxic Chemical Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA.

List of ingredients according to Annex VII D of the regulation on detergents 648/2004/EC

The following ingredient information is provided per Regulation EC No. 648/2004 on Detergents:

Aqua

C10-12 Alkane/cycloalkane

Hydrotreated light petroleum distillates

Kaolin, calcined

Sodium potassium aluminum silicate

Dimethicone

Synthetic hydrocarbon mixture

Amodimethicone

Oxidized polyethylene

Solvent refined hydrotreated middle distillate

Copernicia cerifera cera

Isopropyl alcohol

Quaternium-18 bentonite

C8-10 Alkane/cycloalkane/aromatic hydrocarbons

9-Octadecanoic acid (Z)-, ester with 1,2,3-propanetriol

Stoddard solvent

Siloxanes and silicones, di-Me, hydroxy-terminated, reaction products with trimethoxymethylsilane and N-[3-(trimethoxysilyl)propyl]-1,2-ethanediamine

Perfumes

Polyglycerin oleate

Benzyl benzoate

1,2,4-Trimethylbenzene

Methyl alcohol

Sodium oleate
Magnesium nitrate
Dimethylcyclosiloxanes
Cyclopentasiloxane
Cyclotetrasiloxane
Isooctane
Methylchloroisothiazolinone
Copper-based stabilizers
Magnesium chloride
Methylisothiazolinone

15.2. Chemical Safety Assessment

Not applicable

SECTION 16: Other information

List of relevant H statements

EUH066	Repeated exposure may cause skin dryness or cracking.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.

List of relevant R-phrases

R10	Flammable.
R20	Harmful by inhalation.
R65	Harmful: May cause lung damage if swallowed.
R66	Repeated exposure may cause skin dryness or cracking.
R67	Vapours may cause drowsiness and dizziness.

Revision information:

Revision Changes:

Section 8: Respiratory protection - recommended respirators was modified.
Section 3: Composition/ Information of ingredients table was modified.
Section 16: Regulations – Inventories – EU ONLY was modified.
Target Organs - Repeated Table was modified.
Target Organs - Single Table was modified.
Section 11: Health Effects - Inhalation information was modified.
Section 6: Accidental release personal information was modified.
Section 6: Accidental release clean-up information was modified.
Section 7: Conditions safe storage was modified.
Section 8: Personal Protection - Skin/hand information was modified.
Section 13: Standard Phrase Category Waste GHS was modified.
Section 8: Respiratory protection - recommended respirators guide was added.
Section 8: Personal Protection - Eye information was added.
Section 8: Personal Protection - Respiratory Information was added.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

Meguiar's, Inc. United Kingdom MSDSs are available at www.meguiars.co.uk

