



Safety Data Sheet

Copyright,2021, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|------------|-------------------------|----------------|
| Document group: | 39-4826-2 | Version number: | 1.00 |
| Revision date: | 11/03/2021 | Supersedes date: | Initial issue. |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Endurance High Gloss G75 [G7516, G7506]

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive.

1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF
Telephone: +44 (0)870 241 6696
E Mail: info@meguiars.co.uk
Website: www.meguiars.co.uk

1.4. Emergency telephone number

+44 (0)870 241 6696

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

The aspiration hazard classification is not required due to the product's viscosity.

CLASSIFICATION:

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315
 Specific Target Organ Toxicity-Single Exposure, Category 3 - STOT SE 3; H336

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

Symbols

GHS07 (Exclamation mark) |

Pictograms



Ingredients:

| Ingredient | CAS Nbr | EC No. | % by Wt |
|---|------------|-----------|---------|
| Distillates (petroleum), hydro- treated light | 64742-47-8 | 265-149-8 | 10 - 20 |

HAZARD STATEMENTS:

| | |
|------|--|
| H315 | Causes skin irritation. |
| H336 | May cause drowsiness or dizziness. |
| H412 | Harmful to aquatic life with long lasting effects. |

PRECAUTIONARY STATEMENTS

General:

P102 Keep out of reach of children.

Prevention:

P261A Avoid breathing vapours.
P271 Use only outdoors or in a well-ventilated area.

Response:

P332 + P313 If skin irritation occurs: Get medical advice/attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

2.3. Other hazards

Contains a substance that meets the criteria for PBT according to Regulation (EC) No 1907/2006, Annex XIII Contains a substance that meets the criteria for vPvB according to Regulation (EC) No 1907/2006, Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|---------|--|
| White mineral oil (petroleum) | (CAS-No.) 8042-47-5 (EC-No.) 232-455-8 | 10 - 30 | Asp. Tox. 1, H304 |
| Distillates (petroleum), hydro- treated light | (CAS-No.) 64742-47-8 (EC-No.) 265-149-8 | 10 - 20 | Asp. Tox. 1, H304 Aquatic Chronic 2, H411 Flam. Liq. 3, H226 Skin Irrit. 2, H315 STOT SE 3, H336 |
| octamethylcyclotetrasiloxane | (CAS-No.) 556-67-2 (EC-No.) 209-136-7 | < 0.05 | Repr. 2, H361f Aquatic Chronic 1, H410,M=10 Flam. Liq. 3, H226 |

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures**4.1. Description of first aid measures****Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eye contact

No need for first aid is anticipated.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures**5.1. Extinguishing media**

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

Substance

formaldehyde
Carbon monoxide
Carbon dioxide.

Condition

During combustion.
During combustion.
During combustion.

5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls**8.2.1. Engineering controls**

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)**Eye/face protection**

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended:

| Material | Thickness (mm) | Breakthrough Time |
|------------------|-------------------|-------------------|
| Polymer laminate | No data available | No data available |

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used: Nitrile rubber.

Applicable Norms/Standards

Use gloves tested to EN 374

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|-------------------------------------|---------------------------|
| Physical state | Liquid. |
| Colour | Purple |
| Odor | Sweet Grape |
| Odour threshold | <i>No data available.</i> |
| Melting point/freezing point | <i>Not applicable.</i> |
| Boiling point/boiling range | 185 °C |
| Flammability (solid, gas) | Not applicable. |
| Flammable Limits(LEL) | <i>No data available.</i> |

| | |
|---|--|
| Flammable Limits(UEL) | <i>No data available.</i> |
| Flash point | > 93.3 °C [<i>Test Method</i> :Pensky-Martens Closed Cup] |
| Autoignition temperature | <i>No data available.</i> |
| Decomposition temperature | <i>No data available.</i> |
| pH | |
| Kinematic Viscosity | 440 mm ² /sec |
| Water solubility | <i>No data available.</i> |
| Solubility- non-water | <i>No data available.</i> |
| Partition coefficient: n-octanol/water | <i>No data available.</i> |
| Vapour pressure | <i>No data available.</i> |
| Density | 0.905 g/cm ³ |
| Relative density | 0.905 [<i>Ref Std</i> :WATER=1] |
| Relative Vapor Density | <i>No data available.</i> |

9.2. Other information

9.2.2 Other safety characteristics

| | |
|--------------------------------------|--|
| Average particle size | <i>No data available.</i> |
| Bulk density | <i>No data available.</i> |
| EU Volatile Organic Compounds | <i>No data available.</i> |
| Evaporation rate | <i>No data available.</i> |
| Molecular weight | <i>No data available.</i> |
| Percent volatile | 20.2 % weight [<i>Test Method</i> :Estimated] |
| Softening point | <i>No data available.</i> |

* The values noted with an asterisk (*) in the above table are representative values based on testing of raw materials and selected products. Additionally, a material's characteristics may change depending upon the process and conditions of use at a facility, including further changes in particle size, or mixture with other materials. In order to obtain specific data for the material, we recommend the user conduct characterisation testing based on the use factors at the specific facility.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Not determined

10.5 Incompatible materials

Not determined

10.6 Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known. | |

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

Skin contact

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Single exposure may cause target organ effects:

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---|--------------------------------|---------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| White mineral oil (petroleum) | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| White mineral oil (petroleum) | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Distillates (petroleum), hydro- treated light | Dermal | Rabbit | LD50 > 3,160 mg/kg |
| Distillates (petroleum), hydro- treated light | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 3 mg/l |
| Distillates (petroleum), hydro- treated light | Ingestion | Rat | LD50 > 5,000 mg/kg |
| octamethylcyclotetrasiloxane | Dermal | Rat | LD50 > 2,400 mg/kg |
| octamethylcyclotetrasiloxane | Inhalation-Dust/Mist (4 hours) | Rat | LC50 36 mg/l |
| octamethylcyclotetrasiloxane | Ingestion | Rat | LD50 > 5,000 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|------|---------|-------|
| | | |

| | | |
|---|--------|---------------------------|
| White mineral oil (petroleum) | Rabbit | No significant irritation |
| Distillates (petroleum), hydro- treated light | Rabbit | Mild irritant |
| octamethylcyclotetrasiloxane | Rabbit | Minimal irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---|---------|---------------------------|
| White mineral oil (petroleum) | Rabbit | Mild irritant |
| Distillates (petroleum), hydro- treated light | Rabbit | Mild irritant |
| octamethylcyclotetrasiloxane | Rabbit | No significant irritation |

Skin Sensitisation

| Name | Species | Value |
|---|------------------|----------------|
| White mineral oil (petroleum) | Guinea pig | Not classified |
| Distillates (petroleum), hydro- treated light | Guinea pig | Not classified |
| octamethylcyclotetrasiloxane | Human and animal | Not classified |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|---|----------|--|
| White mineral oil (petroleum) | In Vitro | Not mutagenic |
| Distillates (petroleum), hydro- treated light | In Vitro | Not mutagenic |
| octamethylcyclotetrasiloxane | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|---|------------|-------------------------|--|
| White mineral oil (petroleum) | Dermal | Mouse | Not carcinogenic |
| White mineral oil (petroleum) | Inhalation | Multiple animal species | Not carcinogenic |
| Distillates (petroleum), hydro- treated light | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|-------------------------------|------------|--|---------|-----------------------|----------------------|
| White mineral oil (petroleum) | Ingestion | Not classified for female reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| White mineral oil (petroleum) | Ingestion | Not classified for male reproduction | Rat | NOAEL 4,350 mg/kg/day | 13 weeks |
| White mineral oil (petroleum) | Ingestion | Not classified for development | Rat | NOAEL 4,350 mg/kg/day | during gestation |
| octamethylcyclotetrasiloxane | Inhalation | Not classified for male reproduction | Rat | NOAEL 8.5 mg/l | 2 generation |
| octamethylcyclotetrasiloxane | Ingestion | Toxic to female reproduction | Rabbit | NOAEL 50 mg/kg/day | during organogenesis |
| octamethylcyclotetrasiloxane | Inhalation | Toxic to female reproduction | Rat | NOAEL 3.6 mg/l | 2 generation |

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---|------------|-----------------------------------|--|------------------------|---------------------|-------------------|
| Distillates (petroleum), hydro- treated light | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Distillates (petroleum), hydro- treated light | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| Distillates (petroleum), hydro- treated light | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professional judgement | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|-------------------------------|------------|--|----------------|---------|-----------------------|-------------------|
| White mineral oil (petroleum) | Ingestion | hematopoietic system | Not classified | Rat | NOAEL 1,381 mg/kg/day | 90 days |
| White mineral oil (petroleum) | Ingestion | liver immune system | Not classified | Rat | NOAEL 1,336 mg/kg/day | 90 days |
| octamethylcyclotetrasiloxane | Dermal | hematopoietic system | Not classified | Rabbit | NOAEL 960 mg/kg/day | 3 weeks |
| octamethylcyclotetrasiloxane | Inhalation | liver | Not classified | Rat | NOAEL 8.5 mg/l | 13 weeks |
| octamethylcyclotetrasiloxane | Inhalation | endocrine system immune system kidney and/or bladder | Not classified | Rat | NOAEL 8.5 mg/l | 2 generation |
| octamethylcyclotetrasiloxane | Inhalation | hematopoietic system | Not classified | Rat | NOAEL 8.5 mg/l | 13 weeks |
| octamethylcyclotetrasiloxane | Ingestion | liver | Not classified | Rat | NOAEL 1,600 mg/kg/day | 2 weeks |

Aspiration Hazard

| Name | Value |
|---|-------------------|
| White mineral oil (petroleum) | Aspiration hazard |
| Distillates (petroleum), hydro- treated light | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS # | Organism | Type | Exposure | Test endpoint | Test result |
|---|------------|---------------|--------------|----------|---------------|-------------|
| White mineral oil (petroleum) | 8042-47-5 | Water flea | Estimated | 48 hours | EL50 | >100 mg/l |
| White mineral oil (petroleum) | 8042-47-5 | Bluegill | Experimental | 96 hours | LL50 | >100 mg/l |
| White mineral oil (petroleum) | 8042-47-5 | Green algae | Estimated | 72 hours | NOEL | 100 mg/l |
| White mineral oil (petroleum) | 8042-47-5 | Water flea | Estimated | 21 days | NOEL | >100 mg/l |
| Distillates (petroleum), hydro- treated light | 64742-47-8 | Green Algae | Estimated | 72 hours | EC50 | 1 mg/l |
| Distillates (petroleum), hydro- treated light | 64742-47-8 | Rainbow trout | Estimated | 96 hours | LL50 | 2 mg/l |
| Distillates (petroleum), hydro- treated light | 64742-47-8 | Water flea | Estimated | 48 hours | EL50 | 1.4 mg/l |
| Distillates (petroleum), hydro- treated light | 64742-47-8 | Green Algae | Estimated | 72 hours | NOEL | 1 mg/l |
| Distillates (petroleum), hydro- treated light | 64742-47-8 | Water flea | Estimated | 21 days | NOEL | 0.48 mg/l |
| octamethylcyclotetrasiloxane | 556-67-2 | Rainbow trout | Experimental | 93 days | NOEC | 0.0044 mg/l |
| octamethylcyclotetrasiloxane | 556-67-2 | Water flea | Experimental | 21 days | NOEC | 0.0079 mg/l |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|---|------------|------------------------------------|----------|-------------------------------|------------------------|-----------------------------------|
| White mineral oil (petroleum) | 8042-47-5 | Experimental Biodegradation | 28 days | CO2 evolution | 0 % weight | OECD 301B - Modified sturm or CO2 |
| Distillates (petroleum), hydro- treated light | 64742-47-8 | Data not available or insufficient | | | N/A | |
| octamethylcyclotetrasiloxane | 556-67-2 | Experimental Photolysis | | Photolytic half-life (in air) | 31 days (t 1/2) | Non-standard method |
| octamethylcyclotetrasiloxane | 556-67-2 | Experimental Hydrolysis | | Hydrolytic half-life | 69.3-144 hours (t 1/2) | Non-standard method |
| octamethylcyclotetrasiloxane | 556-67-2 | Experimental Biodegradation | 28 days | CO2 evolution | 3.7 % weight | OECD 310 CO2 Headspace |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|---|------------|---|----------|------------------------|-------------|---------------------|
| White mineral oil (petroleum) | 8042-47-5 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Distillates (petroleum), hydro- treated light | 64742-47-8 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| octamethylcyclotetrasiloxane | 556-67-2 | Experimental BCF - Fathead Minnow | 28 days | Bioaccumulation factor | 12400 | Non-standard method |

12.4. Mobility in soil

No test data available.

12.5. Results of the PBT and vPvB assessment

| Ingredient | CAS Nbr | PBT/vPvB status |
|------------------------------|----------|--------------------------|
| octamethylcyclotetrasiloxane | 556-67-2 | Meets REACH PBT criteria |
| octamethylcyclotetrasiloxane | 556-67-2 | Meets REACH PBT criteria |
| octamethylcyclotetrasiloxane | 556-67-2 | Meets REACH PBT criteria |
| octamethylcyclotetrasiloxane | 556-67-2 | Meets REACH PBT criteria |

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

101113* Glass-polishing and -grinding sludge containing dangerous substances

SECTION 14: Transportation information

Not hazardous for transportation.

| | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|--|--|--|--|
| 14.1 UN number | No data available. | No Data Available | No Data Available |
| 14.2 UN proper shipping name | No data available. | No Data Available | No Data Available |
| 14.3 Transport hazard class(es) | No data available. | No Data Available | No Data Available |
| 14.4 Packing group | No data available. | No Data Available | No Data Available |
| 14.5 Environmental hazards | No data available. | No Data Available | No Data Available |
| 14.6 Special precautions for user | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |

| | | | |
|--|--------------------|-------------------|-------------------|
| 14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code | No data available. | No Data Available | No Data Available |
| Control Temperature | No data available. | No Data Available | No Data Available |
| Emergency Temperature | No data available. | No Data Available | No Data Available |
| ADR Tunnel Code | No data available. | Not Applicable | No Data Available |
| ADR Classification Code | No data available. | No Data Available | No Data Available |
| ADR Transport Category | No data available. | No Data Available | No Data Available |
| ADR Multiplier | No data available. | No Data Available | No Data Available |
| IMDG Segregation Code | No data available. | No Data Available | No Data Available |
| Transport not Permitted | No data available. | No Data Available | No Data Available |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject through Annex XVII of REACH regulation to restrictions on the manufacture, placing on the market and use when present in certain dangerous substances, mixtures and articles. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

| <u>Ingredient</u> | <u>CAS Nbr</u> |
|------------------------------|----------------|
| octamethylcyclotetrasiloxane | 556-67-2 |

Restriction status: listed in REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 for Conditions of Restriction

Authorization status under REACH:

The following substance/s contained in this product might be or is/are subject to authorization in accordance with REACH:

| <u>Ingredient</u> | <u>CAS Nbr</u> |
|------------------------------|----------------|
| octamethylcyclotetrasiloxane | 556-67-2 |

Authorization status: listed in the Candidate List of Substances of Very High Concern for Authorization

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained

substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

| | |
|-------|---|
| H226 | Flammable liquid and vapour. |
| H304 | May be fatal if swallowed and enters airways. |
| H315 | Causes skin irritation. |
| H336 | May cause drowsiness or dizziness. |
| H361f | Suspected of damaging fertility. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Revision information:

No revision information

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Meguiar's, Inc. United Kingdom SDSs are available at www.meguiars.co.uk