



## Safety Data Sheet

Copyright, 2017, Meguiar's, Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising Meguiar's, Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's, Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	28-6836-2	<b>Version number:</b>	3.02
<b>Revision date:</b>	06/11/2017	<b>Supersedes date:</b>	20/06/2017
<b>Transportation version number:</b>	1.00 (02/08/2011)		

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

M57, Boat/RV Rubber and Vinyl Cleaner/Conditioner (19-191E): M5701, M5716

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Cleans and protects vinyl and rubber surfaces

#### 1.3. Details of the supplier of the safety data sheet

**Address:** Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF  
**Telephone:** +44 (0)870 241 6696  
**E Mail:** info@meguiars.co.uk  
**Website:** www.meguiars.co.uk

#### 1.4. Emergency telephone number

+44 (0)870 241 6696

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

##### CLASSIFICATION:

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

For full text of H phrases, see Section 16.

#### 2.2. Label elements

CLP REGULATION (EC) No 1272/2008

##### SIGNAL WORD

WARNING.

**Symbols:**

GHS07 (Exclamation mark) |

**Pictograms**



**HAZARD STATEMENTS:**

H319 Causes serious eye irritation.

**PRECAUTIONARY STATEMENTS**

**General:**

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.

**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**SUPPLEMENTAL INFORMATION**

**Supplemental Hazard Statements:**

EUH208 Contains 3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone. May produce an allergic reaction.

2% of the mixture consists of components of unknown acute oral toxicity.

Contains 2% of components with unknown hazards to the aquatic environment.

**Information required per Regulation (EU) No 528/2012 on Biocidal Products:**

Contains a biocidal product: Contains C(M)IT/MIT (3:1). May produce an allergic reaction.

**Notes on labelling**

Updated per Regulation (EC) No. 648/2004 on detergents.

Ingredients required per 648/2004: <5%: Phosphates, Non-ionic surfactants. Contains: Perfumes, Mixture of Methylchlorisothiazolinone and Methylisothiazolinone (3:1).

**2.3. Other hazards**

None known.

**SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	EC No.	REACH Registration No.	% by Wt	Classification
Non-Hazardous Ingredients	7732-18-5	231-791-2		60 - 80	Substance not classified as hazardous
Siloxanes and silicones, di-Me	63148-62-9			10 - 30	Substance not classified as hazardous
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9			1 - 5	Acute Tox. 4, H302; Eye Dam. 1, H318

**M57, Boat/RV Rubber and Vinyl Cleaner/Conditioner (19-191E): M5701, M5716**

Propane-1,2-diol	57-55-6	200-338-0	01-2119456809-23	1 - 5	Substance with a Community level exposure limit in the workplace
Pentapotassium triphosphate	13845-36-8	237-574-9		1 - 5	Substance not classified as hazardous
Trisodium Phosphate	7601-54-9	231-509-8		0.5 - 1.5	Skin Irrit. 2, H315; Eye Dam. 1, H318; STOT SE 3, H335
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	55965-84-9			< 0.001	Acute Tox. 3, H331; Acute Tox. 3, H311; Acute Tox. 3, H301; Skin Corr. 1B, H314; Skin Sens. 1A, H317; Aquatic Acute 1, H400,M=1; Aquatic Chronic 1, H410,M=1

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin contact**

Wash with soap and water. If signs/symptoms develop, get medical attention.

**Eye contact**

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

**If swallowed**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

See Section 11.1 Information on toxicological effects

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

**SECTION 5: Fire-fighting measures****5.1. Extinguishing media**

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**Hazardous Decomposition or By-Products****Substance**

Aldehydes.  
Formaldehyde

**Condition**

During combustion.  
During combustion.

## M57, Boat/RV Rubber and Vinyl Cleaner/Conditioner (19-191E): M5701, M5716

Carbon monoxide.  
Carbon dioxide.  
Irritant vapours or gases.

During combustion.  
During combustion.  
During combustion.

### 5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid eye contact. Keep out of reach of children. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

### 7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from strong bases. Store away from oxidising agents.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Propane-1,2-diol	57-55-6	UK HSC	TWA(as particulate):10 mg/m <sup>3</sup> ;TWA(as total vapour and particulates):474 mg/m <sup>3</sup> (150 ppm)	

UK HSC : UK Health and Safety Commission

## M57, Boat/RV Rubber and Vinyl Cleaner/Conditioner (19-191E): M5701, M5716

TWA: Time-Weighted-Average  
STEL: Short Term Exposure Limit  
CEIL: Ceiling

### Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

## 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

#### *Applicable Norms/Standards*

Use eye protection conforming to EN 166

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended:

Material	Thickness (mm)	Breakthrough Time
Nitrile rubber.	No data available	No data available

#### *Applicable Norms/Standards*

Use gloves tested to EN 374

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

#### *Applicable Norms/Standards*

Use a respirator conforming to EN 140 or EN 136: filter types A & P

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Appearance/Odour	Mild woody, pleasant odour; Milky white liquid
Odour threshold	No data available.

<b>pH</b>	10.5 - 11.4
<b>Boiling point/boiling range</b>	100 °C
<b>Melting point</b>	<i>Not applicable.</i>
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Explosive properties</b>	Not classified
<b>Oxidising properties</b>	Not classified
<b>Flash point</b>	No flash point [ <i>Details:N/A</i> ]
<b>Autoignition temperature</b>	<i>Not applicable.</i>
<b>Flammable Limits(LEL)</b>	<i>Not applicable.</i>
<b>Flammable Limits(UEL)</b>	<i>Not applicable.</i>
<b>Vapour pressure</b>	<i>No data available.</i>
<b>Relative density</b>	1 [ <i>Ref Std: WATER=1</i> ]
<b>Water solubility</b>	Complete
<b>Solubility- non-water</b>	<i>No data available.</i>
<b>Partition coefficient: n-octanol/water</b>	<i>No data available.</i>
<b>Evaporation rate</b>	<i>No data available.</i>
<b>Vapour density</b>	<i>No data available.</i>
<b>Decomposition temperature</b>	<i>No data available.</i>
<b>Viscosity</b>	<i>No data available.</i>
<b>Density</b>	1 g/cm <sup>3</sup>

#### 9.2. Other information

EU Volatile Organic Compounds *No data available.*

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Temperatures above the boiling point.

### 10.5 Incompatible materials

Strong acids.  
Strong bases.  
Strong oxidising agents.

### 10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
None known.	

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition,

statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness.

#### Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Siloxanes and silicones, di-Me	Dermal	Rabbit	LD50 > 19,400 mg/kg
Siloxanes and silicones, di-Me	Ingestion	Rat	LD50 > 17,000 mg/kg
Propane-1,2-diol	Dermal	Rabbit	LD50 20,800 mg/kg
Propane-1,2-diol	Ingestion	Rat	LD50 22,000 mg/kg
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Ingestion	Rat	LD50 1,350 mg/kg
Trisodium Phosphate	Dermal	Rat	LD50 > 2,000 mg/kg
Trisodium Phosphate	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 0.83 mg/l
Trisodium Phosphate	Ingestion	Rat	LD50 > 2,000 mg/kg
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	Dermal	Rabbit	LD50 87 mg/kg
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	Inhalation-Dust/Mist (4 hours)	Rat	LC50 0.33 mg/l
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	Ingestion	Rat	LD50 40 mg/kg

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name	Species	Value
Siloxanes and silicones, di-Me	Rabbit	No significant irritation
Propane-1,2-diol	Rabbit	No significant irritation
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Rabbit	Mild irritant
Trisodium Phosphate	Rabbit	Irritant
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	Rabbit	Corrosive

**M57, Boat/RV Rubber and Vinyl Cleaner/Conditioner (19-191E): M5701, M5716****Serious Eye Damage/Irritation**

Name	Species	Value
Siloxanes and silicones, di-Me	Rabbit	No significant irritation
Propane-1,2-diol	Rabbit	No significant irritation
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Rabbit	Corrosive
Trisodium Phosphate	Rabbit	Corrosive
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	Rabbit	Corrosive

**Skin Sensitisation**

Name	Species	Value
Propane-1,2-diol	Human	Not classified
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Human	Not classified
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	Human and animal	Sensitising

**Photosensitisation**

Name	Species	Value
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	Human and animal	Not sensitising

**Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity**

Name	Route	Value
Propane-1,2-diol	In Vitro	Not mutagenic
Propane-1,2-diol	In vivo	Not mutagenic
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	In vivo	Not mutagenic
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	In Vitro	Some positive data exist, but the data are not sufficient for classification

**Carcinogenicity**

Name	Route	Species	Value
Propane-1,2-diol	Dermal	Mouse	Not carcinogenic
Propane-1,2-diol	Ingestion	Multiple animal species	Not carcinogenic
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	Dermal	Mouse	Not carcinogenic
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	Ingestion	Rat	Not carcinogenic

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
Propane-1,2-diol	Ingestion	Not classified for female reproduction	Mouse	NOAEL 10,100 mg/kg/day	2 generation
Propane-1,2-diol	Ingestion	Not classified for male reproduction	Mouse	NOAEL 10,100 mg/kg/day	2 generation
Propane-1,2-diol	Ingestion	Not classified for development	Multiple	NOAEL	during



**M57, Boat/RV Rubber and Vinyl Cleaner/Conditioner (19-191E): M5701, M5716**

			animal species	1,230 mg/kg/day	organogenesis
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Propane-1,2-diol	Ingestion	central nervous system depression	Not classified	Human and animal	NOAEL Not available	
Trisodium Phosphate	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Propane-1,2-diol	Ingestion	hematopoietic system	Not classified	Multiple animal species	NOAEL 1,370 mg/kg/day	117 days
Propane-1,2-diol	Ingestion	kidney and/or bladder	Not classified	Dog	NOAEL 5,000 mg/kg/day	104 weeks

**Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.**

**SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

**12.1. Toxicity**

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
Siloxanes and silicones, di-Me	63148-62-9		Data not available or insufficient for classification			
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9		Data not available or insufficient for classification			
Pentapotassium triphosphate	13845-36-8	Water flea	Estimated	48 hours	EC50	>120 mg/l

**M57, Boat/RV Rubber and Vinyl Cleaner/Conditioner (19-191E): M5701, M5716**

Propane-1,2-diol	57-55-6	Crustacea other	Experimental	96 hours	LC50	18,800 mg/l
Propane-1,2-diol	57-55-6	Fathead minnow	Experimental	96 hours	LC50	55,770 mg/l
Propane-1,2-diol	57-55-6	Green Algae	Experimental	96 hours	EC50	19,000 mg/l
Propane-1,2-diol	57-55-6	Water flea	Experimental	48 hours	EC50	18,340 mg/l
Propane-1,2-diol	57-55-6	Water flea	Experimental	7 days	NOEC	13,020 mg/l
Propane-1,2-diol	57-55-6	Green algae	Experimental	96 hours	NOEC	15,000 mg/l
Trisodium Phosphate	7601-54-9	Water flea	Estimated	48 hours	EC50	>100 mg/l
Trisodium Phosphate	7601-54-9	Rainbow trout	Estimated	96 hours	LC50	>100 mg/l
Trisodium Phosphate	7601-54-9	Green algae	Estimated	72 hours	EC50	>100 mg/l
Trisodium Phosphate	7601-54-9	Green algae	Estimated	72 hours	NOEC	100 mg/l
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	55965-84-9	Diatom	Experimental	72 hours	EC50	0.021 mg/l
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	55965-84-9	Water flea	Experimental	48 hours	EC50	0.18 mg/l
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	55965-84-9	Diatom	Experimental	72 hours	NOEC	0.01 mg/l

**12.2. Persistence and degradability**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Siloxanes and silicones, di-Me	63148-62-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Experimental Biodegradation	28 days	CO2 evolution	=>40 % weight	OECD 301B - Modified sturm or CO2
Pentapotassium triphosphate	13845-36-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Propane-1,2-diol	57-55-6	Experimental Biodegradation	28 days	BOD	90 % weight	OECD 301C - MITI test (I)
Trisodium Phosphate	7601-54-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	55965-84-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**12.3 : Bioaccumulative potential**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Siloxanes and silicones, di-Me	63148-62-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Experimental BCF - Fathead Mi	72 hours		232	
Pentapotassium triphosphate	13845-36-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**M57, Boat/RV Rubber and Vinyl Cleaner/Conditioner (19-191E): M5701, M5716**

Propane-1,2-diol	57-55-6	Experimental Bioconcentration		Log Kow	-0.92	Other methods
Trisodium Phosphate	7601-54-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
3(2H)-Isothiazolone, 5-Chloro-2-Methyl-, Mixt. With 2-Methyl-3(2H)-Isothiazolone	55965-84-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**12.4. Mobility in soil**

Please contact manufacturer for more details

**12.5. Results of the PBT and vPvB assessment**

No information available at this time, contact manufacturer for more details

**12.6. Other adverse effects**

No information available.

The surfactant(s) contained in this preparation comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

See Section 11.1 Information on toxicological effects

This product has been classified as a non-hazardous waste. Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

**EU waste code (product as sold)**

20 01 29\* Detergents containing dangerous substances

**SECTION 14: Transportation information**

ADR/IMDG/IATA: Not restricted for transport.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Global inventory status**

Contact manufacturer for more information The components of this product are in compliance with the chemical notification requirements of TSCA.

**15.2. Chemical Safety Assessment**

Not applicable

## SECTION 16: Other information

### List of relevant H statements

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Revision information:

Section 3: Composition/ Information of ingredients table information was modified.

Section 7: Precautions safe handling information information was modified.

Section 9: No Data Available Statement information was deleted.

Section 9: Property description for optional properties information was added.

Section 11: Acute Toxicity table information was modified.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Target Organs - Single Table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12: Biocumulative potential information information was modified.

Section 13: Standard Phrase Category Waste GHS information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

**Meguiar's, Inc. United Kingdom MSDSs are available at [www.meguiars.co.uk](http://www.meguiars.co.uk)**